

60LBSP40

Cal. **.40**

60LBSP45

Cal. **.45**



excludes battery
2x LR41



Cal.

Cal. **.45 COLT**

42863645

ROTCHI



ZEROING

Length 32.5mm
bottom dia.13mm
top dia.12mm

excludes battery
2x LR41



Cal. **.45 ACP**

42863745



Length 32.5mm,
bottom dia.13mm
top dia.12mm

excludes battery
2x LR41

RED LASER BORE SIGHT made from gold-plated deactivated brass, featuring a 650nm 3.5mW Class IIIa laser with >8,000 hrs battery life, dual O-rings, and shock resistance — ideal for shooting sports accessories.



Cal.

Cal. **.45**

42863445

BRASS CASE



Length 30.5mm
bottom dia.12mm
top dia.6.5mm

excludes battery
2x LR41



ROTCHI

4286440

Cal. **.40**

Smith & Wesson
S&W



Length 28.5mm
bottom dia.9.9mm
top dia.7.36mm

excludes battery
2x LR41



Cal. Alignment TOOL
Cal. **9mm**

428629



RED DOT

8.75/8.66

Length 33.8mm
bottom dia.8.75mm
top dia.8.66mm

excludes battery
2x LR41



Cal.

Cal. **8mm**

4286468



LASER COLLIMATOR

Length 55.5mm
bottom dia.11.9mm
top dia.9mm

excludes battery
3x LR41



Cal.

Cal. **.45**

428635R45

RED CASE



Length 30.5mm
bottom dia.12mm
top dia.6.5mm

excludes battery
2x LR41



ROTCHI

Cal. Alignment TOOL
Cal. **9mm**

428309



RED DOT
8.75/8.66

Length 33.8mm
bottom dia.8.75mm
top dia.8.66mm

excludes battery
2x LR41



Cal. **9mm**

428289



LASER COLLIMATOR

Length 25.4mm
bottom: dia. 9.9mm
top dia. 7.36mm

excludes battery
2x LR41



Cal. **9mm**

4286319



ZEROING

Length 25.4mm
bottom dia.9.9mm
top dia.7.36mm

excludes battery
2x LR41



ROTCHI



56BB9MM-L


Cal. **9mm**



LASER COLLIMATOR

Length n/o mm
bottom dia. n/o mm

includes batteries
2x LR41





Cal. 30
Class 30
7.62X54

42864430

ROTCHI

excludes battery
3x LR41

Length 53.3mm,
bottom dia.14.2mm
top dia.3.38mm

Cal. 30-06./25-06
270WIN

4286513006

7.62X54

WINCHESTER

excludes battery
3x LR41

Length 63.5mm,
bottom dia. 11.3mm
top dia. 7.3mm

300 MAGNUM
WIN SHORT
Cartridge

56BS300WIN

Cal. WIN
300

WINCHESTER

Weight: 46g

Fit for rifles chambered for
.300 Winchester Short
Magnum cartridge.

includes batteries
6x LR41

TACBAND

56BS76254

Cal.
7.62*54

TACBAND

Length n/o mm
bottom dia. n/o mm
top dia. n/o mm

includes batteries
6x LR41

56BS76239

Cal.
7.62x39

TACBAND

Length n/o mm
bottom dia. n/o mm
top dia. n/o mm

includes batteries
4x LR41

Cal. 308R
428657308

Length 45.5mm,
bottom dia. 11.9mm
top dia.6.5mm
weight 9g

Brass red laser bore sight,
635–655nm Class IIIA (>1mW <5mW),
with a 2" dot at 100 yards, 15–100 yard
range, measuring 45.5mm × 11.9mm
(base) / 6.5mm (top)

LASER COLLIMATOR

ROTCHI

60LBSP12G

LASER COLLIMATOR

Laser Color: Red | Case: Red

Cal. 12GA

Model : 12GA
Laser power : >1 mW, <5 mW (Class IIIA)
Wavelength : 635–655 nm
Battery : AG13 / LR41 × 6
Sighting range : 15–100 yards
Dot size : ~2 inches at 100 yards

Length : 60mm,
Head width : 22mm
Tail width : 20mm
Net Weight : 46g

6x LR41
includes battery

56BS308WIN

Cal. WIN
308

TACBAND

Weight: 29g

Fit for rifles chambered for
.308 Winchester cartridge.

3x LR41
includes batteries

WINCHESTER

428657308

Cal. REM223

Maximum o/p Power: >1MW,<5MW
Material: Brass
Battery: AG3/LR41 * 3
Laser Color: Red
Wavelength: 635-655 nm
Length: 45 mm
Sighting Range: 15 to 100 yards
Dot Size: 2 inches at 100 yards
Laser Class: IIIA

LASER COLLIMATOR

Length 45mm, bottom dia.9.5mm, top dia.7.3mm

ROTCHI

3x LR41
includes battery

Specific Models
Powered by
Battery
REF# QTY
by Sight

61LBTLR41

✓ VINNIC LR41
✓ Alkaline 1.5V
✓ 1 UNIT

Vinnic
LR41 AG3 L730F
ALKALINE 1.5V

56BSU01G

COLOR GREEN

56BSU01R

COLOR RED

Universal BORESIGHT



TACBAND

Universal bore sighter machined from 6061-T6 aluminum for stable, accurate sighting. Fits most pistols and rifles

- ◆ Laser output: <=5mW
- ◆ Seven bore adapters to fit calibers from .177-.78 pistols and rifles

LASER				Weight
color	wave length	beam divergence	working temp.	g
red	650nm	3-4cm@30m	-10°C to +40°C	40
Green				

■ 1.

1. 56SCA9MM

6 shells per unit

Cal. 9mm

2. 56SCA300

6 shells per unit

Cal. .300

2. ■

ALUMINUM SNAP CAPS Available in 5 sizes

The TACBAND aluminum snap caps are precision CNC machined for training and loading drilling.



Cal. 7*62

3. 56SCA762

4 shells per unit

■ 3.



Cal. .30-06

4. 56SCA3006

4 shells per unit

■ 4.



Cal. .12G

5. 56SCA12G

2 shells per unit

■ 5.

DUMMY AMMO 12GA

Cal. 12GA

1. 56DF12GPN

Weight 16.5g

■ 1.

Simulates real ammo safe dry fire practice. Built to SAAMI dummy round specs. spring-loaded primer absorbs firing pin impact



“ Snap Caps and Dummy Rounds are often confused but are not the same. Dummy rounds are usually all plastic and mainly used for loading/unloading practice. Snap Caps are made from plastics brass or metals and include spring-loaded “PRIMER” that absorbs the firing pin impact. Making them ideal for dry firing.

Snap Caps are more durable and better for trigger control flinch training, malfunction drills and frequent dry fire practice. Dummy rounds are cheaper but less long-lasting ”

TACBAND

66LASILJT




Laser illuminating flashlight for JT92A Pepper Ball Pistol

60SSLS



◎ Laser with Picatinny Rail



RED DOT RECTICAL

60SS1*30RD

magnification

✓ 1x ✓ 30



RED SIGHT DOT

◎ incl. lens cloth & protection



LEVELER Universal Set

56TT14

Angle indicator for 30mm and 1" Tube scope

EXCELLENCE AFIELD
TACBAND

Get your scope mounted right the first time. The Universal Scope Leveler Set ensures your optic is perfectly level with the barrel, giving you reliable zeroing and repeatable accuracy. Lightweight yet precise, it eliminates cant and sighting errors that throw shots off target. Compatible with most rifle scopes and mounts, it's the ideal tool for range zeroing, sight installations, or quick field adjustments. Simple, precise, and repeatable — so you can mount with confidence and shoot with accuracy

56TT15

Specs as TT14

Angle indicator for 30mm and Scope Levelers keep 1" Tube scope your optic true to the barrel, reducing cant and saving setup time for a reliable zero every shot.

EXCELLENCE AFIELD
TACBAND



56CP62 COMPASS

- ◆ MIL-SPEC compass with mil/360° scales
- ◆ Declination adjustment & route distance calculator
- ◆ Range estimator & clinometer for slope/distance
- ◆ Luminous pointer & cm ruler for map/field use

- Compass
- Clinometer
- Route Distance Simulator
- Target Distance Estimation
- Luminous Direction Pointer
- Ruler

EXCELLENCE AFIELD
TACBAND



MEPROLIGHT®

MEPRO **FT BULLSEYE** | FIBRE & TRITIUM | NIGHT SIGHT Optimised day and night brightness

MEPRO **SELF-ILLUMINATED** | NIGHT SIGHTS Optimised Duty Sights for Day and Night

44ML-63102

For S&W Pistols M&P Full size



GREEN RED
☒ ☐

44ML-63105R

For Glock Pistols MOS Models



GREEN RED
☐ ☒

44ML-63121

For S&W Pistols M&P Shield



GREEN RED
☒ ☐

1. 44ML-22770

TRU-DOT® Night Sight System "Red insert" for S&W Revolvers K, L & N Frame



1.

2. 44ML-22771

TRU-DOT® Night Sight System for S&W K, L & N Frame Revolvers with Pinned F.S



2.

MRD

MICRO RED DOT SIGHT

MICRO CONVERSION KIT
MCK
MADE IN THE U.S.A.

44MCKMRD

Color RED



DESIGNED TO BE USED WITH PICATINNY RAILS Improve your accuracy and vision with the Micro Red Dot from CAA and Crimson Trace. Includes Riser.



56DST11RW 1. OCELOT 1-20



includes:
RISER
MOUNT

1-20 Dot Scope
with Laser, High Base

REFLEX (open) sight =
open-window red dot —
biggest FOV, fastest t
target pickup.
RED DOT (tube) sight =
enclosed tube — more
protection, made for
heavy recoil.

2. 1-30 LIGER



56DSL12R

3.

EDGE



Reticle Color	Red
Reticle Styles	Dot

Waterproof IPX7
Eye Relief (mm) ∞

Forage vs Edge

FORAGE: ideal for dynamic,
close-to-medium engagements where
speed and wide visual awareness
matter — pistols, shotguns, ARs for
quick target acquisition.

Edge: ideal when you need ruggedness
and instant readiness — heavy-recoil
rifles/shotguns, hard-use duty guns or
users whom want the sensor features.

56DSL06R

4. **FORAGE**
REFLEX

1-22x17



1-24x17

56DSL04R

5. **RAID** ⚡
1-24x17



REFLEX



1. 56DST11RW 1-20

Lightweight and compact. tube-style red dot — **OCELOT** Series is ideal for shooters and hunters. Aluminum housing is fully water-proof and protected with rubber armor.

Magnification	1X
Objective Size (mm)	Φ20
Brightness Levels	11
Weight (g)	149
Dot Size	3 MOA
Adjustable Graduation	1 MOA
Adjustable Range	≤45MOA
G-force	800G
Parallax	≤2MOA

2. 56DST12RR 1-30

Combining the advantage of laser sight and reflex red dot sight, the **LIGER** laser red dot scope is the dream optic for shooters and hunters. The LIGER laser red dot scope allows you to react instantly without needing to sight along the gun at eye level, and simply concentrate on the target in low-light conditions. The larger aperture of the red dot scope lends you more confidence in target acquisition when precision sighting is required.

Magnification	1X	Parallax	≤1 MOA
Objective Diameter	30mm	G-Force	800G
Brightness Levels	6	Weight (g)	234
Dot Size	3 MOA		

3. 56DST11RW 1-24x17

EDGE Built for the avid shooter. Superior shock-resistance to handle heavy recoil. Its optimized optics provide a bright, clear view, while built-in motion and light sensors activate instantly when drawn

Magnification	1X
Objective Size (mm)	24x17
Brightness Levels	10
Dot Size	3 MOA
Adjustment Graduation	1 MOA
Adjustment Range	+/-45 MOA
Parallax	≤2 MOA
G-Force	1200G
Weight (g)	29.5

4. 56DSL06R 1-22x17

Forage REFLEX SIGHT offers a large, clear window and edge-to-edge sharpness in a tough Aluminum housing. quick target acquisition and works great on handguns, rifles and shotguns

Magnification	1X
Objective Size (mm)	22x17
Brightness Levels	6
Dot Size	3 MOA
Adjustment Graduation	1/2 MOA
Adjustment Range	≥40 MOA

Parallax	≤2 MOA
G-Force	800G
Weight (g)	73



NUTREK

5. 56DSL04R 1-24x17 AUTO BRIGHT REFLEX

The **NUTREK RAID** red dot reflex sight is a sleek and low-profile sighting optic that proves roofo effective and efficient for the close-quarter mission.



Powered by Battery
1x CR2032

- » Red Dot brightness automatically adapts to ambient light
- » Extra compact and lightweight aluminum housing
- » Multi-layer coated Lens for higher brightness and contrast
- » Shock G-force rating of 800g withstand the recoil of most rifles
- » Compatible with Doctor/Noblex footprint
- » Included base mount to Picatinny/Weaver rails

Magnification	1X
Objective Size (mm)	24x17
Brightness Levels	Automatic
Weight (g)	64
Dot Size	3 MOA
Adjustable Graduation	Continual
Adjustable Range	≥30MOA
G-force	800G
Parallax	≤2MOA



1. 59SNRRWD3A

RACCOON


★ Quick Detach

RWD3



Powered by Battery
3x AG5

1 MOA
1X33



2. 59SNRRWD4

Vision

1-24X17
4 MOA



RWD4



3. 59SNRRWD5

Gottfried

RWD5

1-25X17
4 MOA



4. 59SNRRWD6

RWD6

Vision

1-20 2 MOA
Red Dot



5. 59SNRRWD7

CORSAC

3 MOA

1X24X17
RMR RWD7



example view
CHRISTENSEN ARMS®
1911

6. 59SNRRWD8

COBRA

1X28X20
ALS

3 MOA



RWD8

7. TAN

8. 59SNRRWD9

1X22 5 MOA

Otis

RWD9



5 MOA Red & Green

9. 59SNRRWD10

TRG

1X30 5 MOA

RWD10



5 MOA Red & Green

10. 59SNRRWD11

Mantis

1X22

3 MOA

RWD11



3 MOA Red Dot



1. 59SNRRWD3A 1x33 RWD3A


Racoon 1x33 Red/Green Dot — Multi-Reticle, 1 MOA, 6-Level Illumination, Weaver/Picatinny QD Mount

- » Material: Aircraft-grade aluminum (T6-6061)
- » Finish: Matte black | Magnification: 1x
- » Objective: 33 mm x 24 mm
- » Reticle: 4-pattern multi-reticle (red & green)
- » Illumination: 6 levels (red & green)
- » Adjustment: 1 MOA per click
- » Parallax: 25 yd (set)
- » Field of view: 105 ft @ 100 yd (≈35 m @ 100 m)
- » Mount: Quick-detach Weaver/Picatinny base
- » Ruggedness: IPX4 water resistance; shockproof — rated to .338-cal recoil (~1200 g)
- » Lens coating: Multi-coated (silver)
- » Battery: — Life: ≈25 h (high) / 180 h (low)
- » Operating temp: -20°C to 60°C (-4°F to 140°F)
- » Dimensions: L 83 x W 39 x H 54 (mm)
- » Weight: 150 g (5.3 oz)

APPLICATION: Tactical simulations, competition shooting; compatible with shotguns and AR-platform rifles.

2. 59SNRRWD4 1-24X17 RWD4

VISION 1x24 — 4 MOA Red Dot, 6-level illumination, 1 MOA adjust, ±110 MOA, IPX4



4 MOA Red Dot



Powered by Battery
CR2032

- » Magnification: 1x
- » Objective: 24 mm x 17 mm
- » Reticle: 4 MOA red dot
- » Illumination: 6 levels (red) — ambidextrous digital switch
- » Adjustment: 1 MOA per click
- » Windage / Elevation range: ±110 MOA
- » Parallax: set at 25 yd
- » Eye relief: unlimited
- » Mount: Weaver / Picatinny quick-fit base
- » Ruggedness: IPX4 water resistance; shockproof — rated for ~800 g recoil
- » Lens: multi-coated (red-tint)
- » Battery: CR2032 (3 V) — up to ~3000 hours (low power)
- » Operating temp: -20°C to 60°C (-4°F to 140°F)
- » Dimensions: L 49 mm x W 25 mm x H 25 mm
- » Weight: 27 g

APPLICATION: Compact, ultra-light red dot for pistols, short-barrel rifles, and shotguns; great for training, plinking, and competition.

3. 59SNRRWD5 1-25X17 RWD5 Vortex / Doctor Foot

GOTTFRIED 4 MOA Red Dot, 8-level auto-off illumination



- » Magnification: 1x | Objective: 25 mm x 17 mm
- » Illumination: 8 levels (red) — auto turn-off feature
- » Adjustment: 1 MOA per click (mechanical)
- » Rectical: 4 MOA Red Dot
- » Lens Coating: Red-Tint, Multi-coated
- » Windage / Elevation range: ±110 MOA
- » Parallax: set at 25 yd | Eye relief: unlimited
- » Ruggedness: IPX6 water resistance; rated for up to ~1200 g recoil
- » Battery / Power: CR2032 (3 V) — up to 3000 hrs runtime
- » Dimensions / Weight: 48 x 29 x 28 mm / 46.9g

Elevation Range of Adjustment
Mechanical Audible Adjust
110MOA 1 Click MOA



Powered by Battery
CR2032

4. 59SNRRWD6 1-20 RWD6



Powered by Battery
CR2032

VISION 2 MOA Red Dot, 11 red-level illuminations. 1 MOA adjust, ±45 MOA, IPX4

- » Magnification: 1x | Objective Lens: 20 mm |
- » Reticle: 2 MOA red dot | Illumination: 11 levels adjustable
- » Adjustment: 1 MOA per click; ±45 MOA windage/elevation
- » Parallax: 50 yd | Eye Relief: Unlimited
- » Ruggedness: IPX4 waterproof, fog-proof, shockproof; max recoil 650 g
- » Lens Coating: Red-tint, multi-coated
- » Mount: Weaver / Picatinny riser
- » Battery: — 280-2000 hrs runtime
- » Dimensions: 64 x 43 x 48 mm
- » Weight: 150 g

NO STOCK

5. 59SNRRWD7 1-24X17 RWD7 RMR

CORSAC Compact RMR/MOS red dot 3 MOA, IP67 waterproof rugged shock-resistance ideal for pistols and AR-style platforms.

- » Magnification: 1x | Lens: 24 x 17 mm
- » Reticle: 3 MOA Red Dot | Adjustment: 1 MOA / click
- » Brightness: 8 daylight + 2 night-vision levels
- » Windage / Elevation: ±45 MOA | Eye relief: Unlimited
- » Parallax: fixed/set at 25 yd
- » Battery: CR2032 long life
- » Dimensions: 48 x 29 x 28 mm
- » Weight: ≈47 g



Powered by Battery
CR2032

Adjustment: 1 MOA per click

6. 59SNRRWD8 Color: BLACK 7. 59SNRRWD8C Color: TAN

CORSAC — compact 3 MOA red dot 1-28X20 with RMR/Weaver footprint, auto light-sense. IPX67 waterproof, & shockproof — ideal for G17/19 & AR-style platforms.

- » Magnification: 1x | Objective: 28 x 20 mm
- » Reticle: 3 MOA red dot | Brightness: 8 daylight
- » + 2 night modes | Adjustment: 1 MOA / click
- » Windage/Elevation: ±45 MOA
- » Battery: CR2032 (≈50,000 hr nominal)
- » Max recoil: ~1200 g
- » IP Rating: IPX67 | Shockproof & fogproof
- » Mount: Weaver / RMR footprint
- » Size / Weight (approx): 45.6 x 31.1 x 27 mm / 28.4 g



Powered by Battery
CR2032



8. 59SNRRWD9 1X22 RWD9

OTIS 1x22 5 MOA RED DOT SCOPE CAP adjust 5 level R/G Illumination w/Picatinny Riser Mount fit for AR Platform .223 .308.

- Magnification: 1x | Weight: 185 g
- Objective Lens: 22 mm
- Low mount base | Shock & Fog proof
- Reticle: 5 MOA Red/Green Dot
- Brightness: 5 Levels Each
- Adjustment: 1 MOA / 45 MOA Range
- Mount: Weaver / Picatinny (QD Riser)
- Battery: CR2032 3V
- General AR-platform optics upgrade
- Dual-color (red/green) 5 MOA dot for quick aiming
- Length (L W H): 68 x 44 x w/QD Mount 66 mm (2.6")



Powered by Battery
CR2032

The Otis RWD9 gives fast target acquisition and dependable performance on AR platforms with dual-color illumination and a lightweight QD riser mount. Battery life: High ~280 hrs — Low ~2000 hrs

9. 59SNRRWD10 1X30

TRG Durable 1x red/green dot sight with 30 mm objective lens and 5 MOA reticle. Offers 5 brightness levels, capped turrets, and nitrogen-purged waterproof construction. Includes 11 mm/21 mm Weaver-Picatinny mounts & lens caps.

- Magnification: 1x | Objective Lens: 30 mm
- Reticle: 5 MOA Red/Green Dot
- Brightness: 5 Levels | Eye Relief: Unlimited
- Field of View (100 yds): 62.3 ft
- Adjustment: 1/2" per click (45 MOA range)
- Mount: Weaver / Picatinny (11 mm & 21 mm)
- IP Rating: IPX4 (Water-resistant)
- Battery: CR2032 (up to 2000 hrs)
- Length: 96 mm
- Weight: ~200 g



Powered by Battery
CR2032

Ideal for tactical simulations, competition shooting, and AR-platform rifles. Fast target acquisition with clear optics and reliable hold-zero design. Shockproof, fog proof, and ready for any lighting condition.

10. 59SNRRWD11 Color: Black

11. 59SNRRWD11T Color: GREY


RWD11 1X22 RUBBER ARMED. 1PX6 Waterproof

MANTIS Rugged, rubber-armored 1x red dot sight built for AR-platform rifles. Compact single-piece design with IPX6 waterproof rating, 11-level red illumination, and dual co-witness mounting. Includes QD riser, low mount, lens caps, and honeycomb sunshade.

- Magnification: 1x | Reticle: 3 MOA Red Dot
- Objective Lens: 22 mm (Fully Multi-Coated)
- Brightness: 11 Levels | Eye Relief: Unlimited
- Adjustment: 1 MOA / 60 MOA Range
- Field of View (100 yds): 50 ft | Battery: CR2032 (up to 2000 hrs)
- Parallax: <3 MOA @ 50 yds | Mount: Weaver / Picatinny [QD & Low Mount]
- Length: 77 mm | Weight: 183 g | Operating Temperature: -40°C to 60°C
- Maximum Recoil: 800 g | Operating Temperature: -40°C to 60°C
- Lens Coating RED | IP Rating: IPX6 Waterproof



Powered by Battery
CR2032



Ideal for tactical and competition shooting on AR-15 and similar rifles. Fast, precise, and durable — built to perform in harsh weather and heavy recoil. Backed by a 5-year electronic component warranty.

THE CROSSBONE is a lightweight, tubeless reflex sight designed for rapid target acquisition and shooting moving targets. Its 33 mm lens provides a wide field of view, while multiple reticle options (4 patterns) and variable dot sizes (4 different sizes) allow precise customization for any scenario.

59SNRRWD1

— no re-zeroing needed when remounted. Water- and shock-resistant construction for durable performance Low power consumption for extended battery life, powered by a 3V CR2032 or equivalent

CROSSBONE



Powered by Battery
CR2032



Power: 1x
Objective aperture: 33 mm
Field of view: 15.8 m @ 100 m (≈52 ft @ 100 yd)
Click value: 1 MOA
Length: 82 mm
Weight: 115 g



Common: Overall width = 25.4 mm (1")
Overall length ~ 46 mm (1.8") for all models.
Screws included: M3 x 0.13, M3.5 x 0.24, M3.5 x 0.4

HOW TO CHOSE A MOUNT

- A. Identify your pistol model/slide (exact model + whether slide is "MOS" / factory Optics-ready).
- B. Pick the matching model from the table (each model is cut for a specific slide pattern).
If your slide is optics-ready (MOS/C.O.R.E/etc.) check the "NOT fits" notes — those may already be compatible and not need a base.
- C. Check desired height: differences are millimetric (2.5–4.0 mm). Choose lower heights if you want minimal sight profile; taller if you need extra clearance or a twist-ring mount (M3 includes 30 mm twist-ring).

NOTES & TIPS

If your pistol is a factory optics-ready variant (MOS / C.O.R.E / etc.) you may not need an aftermarket base — check slide specs before buying. Height differences are very small; choose by fit first, then height if you need specific co-witnessing with iron sights. Use the included screw kit; verify thread size in your optic's manual if it lists different screw specs.

Quick spec table					
Model	MODEL TYPE	FITS (shortened)	Height (mm)	Weight (g)	Notes / exceptions
59SMNRM2	M2	Glock 17/19/22/23/26/27/34/35/37/41	4	15	Low-profile Glock base. NOT for Glock 19 MOS
59SMNRM3	M3	Colt / Beretta 1911	3	19.3	30 mm twist-ring included. Not for Tisas duty 1911 or RIA
59SMNRM4	M4	SIG Sauer P226, P2022	3	15.9	Fits P226/P2022 style slides only
59SMNRM5	M5	Beretta 92	2.9	17.5	Not fit for "MOD.92FS-CAL 9MM Parabellum-PATENTED" / 98 FS
59SMNRM6	M6	Springfield XD	2.9	13.7	Not fit for Springfield XDS / XDM
59SMNRM7	M7	S&W M&P family (Full, 2.0, Compact, Shield variants)	2.9	16.4	Not for M&P C.O.R.E / Shield EZ .380 / some .22 variants / Sigma
59SMNRM8	M8	H&K USP family	2.5	15.7	HK/USP pattern slides

59SMNRRM1

RRM1

MODEL: RM1

Red Win RMR Riser Mount T6061 Aluminum

- 1.6" Lower 1/3 Co-Witness
- For Cobra & Corsac RMR Red Dots

The Red Win RM1 Riser Mount is a lightweight, precision-built adapter that raises your RMR-style optic to a 1/3 co-witness height, making it perfect for AR-platform rifles or any firearm using Picatinny rails. Durable T6061 aluminum construction with stainless components ensures a solid, recoil-proof hold.



Spec	Detail
Model No	RM1
Footprint	RMR (Trijicon / Holosun compatible)
Overall Length	45 mm / 1.8 in
Height	26.5 mm / 1.04 in
Net Weight	42.3 g / 1.5 oz

- » Fits RMR footprint (Trijicon RMR / Holosun RMR compatible)
- » Designed for Red Win Cobra & Corsac RMR red-dot sights
- » 1.6" Lower 1/3 co-witness configuration

- » Stainless pin for improved recoil resistance
- » All screw holes use stainless steel socket screws
- » Compact and durable

TACTICAL 3X MAGNIFIER SIGHT

Magnifiers / Flip-to-Side Optics
Auxiliary magnifiers

3X MAGNIFIER

Model	Mantis	HellCat	RWM2
Type	Tactical	Ultra-Compact	Full Metal Heavy Duty Precision
Mount	Flip-to-Side QD Picatinny		Flip mount + 30 mm twist ring
Co-Witness Height	Lower 1/3	Lower 1/3 or Full	Depends on mount
Objective Lens	21 mm	22 mm	30 mm ring
Eye Relief	69 mm (2.7")		not listed
Field of View	49 ft @ 100 yds		~45 ft @ 100 yds
Body	Rubber-armored, full-size	Rubber-armored, micro-size	Full-metal, matte black finish
Weight	303 g / 10.7 oz	288 g / 10 oz	370g
Length	103 mm / 4.1"	80 mm / 3.15"	not listed
Shockproof	✓ (700 g's)		Heavy Duty Metal
Optical Coating	Fully Multi-Coated		Blue Coating
Best for Use	Tactical/Outdoor	Competition/Light ARs	Hunters/Outdoor heavy duty use
Includes	Mount, riser, tools, cloth, manual		Flip mount, ring, tools, cloth, manual

59SNRRWM4

RUBBER ARMED
Fully Multi Coated
TACTICAL
Flip to Side
Mount



3x MAGNIFICATION RWM4

MANTIS x3 Is a Tactical 3x magnifier with flip-to-side Picatinny mount. Fully multi-coated optics, wide field of view, long eye relief, and rugged rubber-armored body for outdoor use. **Includes:** QD mount, 5 mm riser, tools, cloth, manual. Specs: 3x magnification · 21 mm lens · 69 mm eye relief · Shockproof · 303 g

Mantis



59SNRRWM3

RUBBER ARMED RWM3
Fully Multi Coated



HELLCAT MICRO x3 Ultra-compact 3x magnifier with flip-to-side QD Picatinny mount. Fully multi-coated lenses, lightweight rubber-armored design, and two co-witness height options (1/3 & full). Includes: Flip-mount, riser plate, screws, tools, cloth, manual. Specs: 3x magnification · 22 mm lens · 69 mm eye relief · Shockproof · 288 g

HellCat



★ Mantis, Hellcat, RWM2 — Quick Comparison

Mantis X3 → Built tougher and slightly larger. Better suited for tactical training and outdoor durability.

Hellcat Micro → Smaller and lighter. Ideal for competition or lightweight AR setups.

RWM2 Falcon → Full-metal and heavy-duty construction for hunters and long-range outdoor use. Delivers added durability and precision feel with classic twist-ring mount.

All three offer clear multi-coated optics, fast-focus eyepieces, and flip-to-side mounting for rapid transition between CQB and extended-range aiming.

59SNRRWM2

RWM2

RWM2 x3 Magnifier with Flip Mount Full-metal 3x magnifier with matte finish and blue-coated optics. Includes 30 mm twist-ring flip mount (fits 20 mm Weaver/RIS rails). Provides extended range and improved aiming precision. Key specs: 3x · 30 mm ring mount · 370 g · Blue coating · Full metal construction



SPEC TABLE

REVIEW/AVAILABLE ON PRIOR PAGE ...

The **NUTREK® RR01 Series Rail Risers** are precision-engineered to meet MIL-STD-1913 Picatinny specifications, providing stable elevation for optics and accessories. Available in 3, 7 and 13-slot lengths and three height profiles | Low (0.5"), Medium (0.7"), High (1.0") // each variant comes with your choice of a twist-nut tool-free lock // or a < quick-detach (QD) lever >. Constructed from aircraft-grade **6061-T6 aluminium** with a **Type-III hard-anodized** matte finish, these risers offer long-lasting durability and secure, repeatable mounting performance.

Slots	Length (mm / inch)	Lock Type	Low (0.5")	Medium (0.7")	High (1.0")
3 Slots	40 mm / 1.57"	Twist Nut	RR01L3	RR01M3	RR01H3
		QD Lever	RR01L3Q	RR01M3Q	RR01H3Q
7 Slots	80 mm / 3.15"	Twist Nut	56RR01L7	56RR01M7	56RR01H7
		QD Lever	56RR01L7Q	56RR01M7Q	56RR01H7Q
13 Slots	140 mm / 5.51"	Twist Nut	56RR01L13	56RR01M13	56RR01H13
		QD Lever	56RR01L13Q	56RR01M13Q	56RR01H13Q

LOW PROFILE
Raise mounting surface by 0.5"

MEDIUM PROFILE
Raise mounting surface by 0.7"

HIGH PROFILE
Raise mounting surface by 1"



RR01L3



RR01M3



RR01H3



RR01L7



RR01M7Q



RR01H7Q



RR01L13



RR01M13



RR01H13

427542



7 PC PRECISION FRONT SIGHT
POST BODY ASSORTMENT
REPLACEMENT KIT



FRONT Sight

№	SCOPE OPTICAL RING 25.4 mm / 30 mm (Low / Medium / High Profile)				
1.	427452	rotchi	Tactical Scope	Profile 25.4MM 30MM	
SCOPE MOUNTS 11 mm / 15-18 mm / 22 mm Rail Fit					
2.	60SSM2P	sniper	15-18mm		
3.	60SSM200411	sniper	11mm		
4.	60SSM200422	sniper	22mm		
			SCOPE RINGS		
CODE		TUBE DIA.	PROFILE	SADDLE HEIGHT (mm)	
RG05 when fastened pull lever out and adjust lever direction					
5.	56RG0530HL	30mm	high	18.29	
	56RG0530ML	30mm	medium	10.92	
	56RG0530LL	30mm	low	4.699	
RG08 Steel Scope Rings					
6.	56RG0830M	30mm	medium	13.46	
	56RG0830L	30mm	1 low	9.4	
	56RG08INL	1" inch	1 low	9.4	
RG10 See-Through rings. Incl. reducing sleeves to adapt for 30mm or One Inch.					
				RAIL WIDTH	
7.	56RG1030H-N	30mm/1"	high	26.16	3/8 inch
	56RG1030H-W	30mm/1"	high	26.16	16mm
	RG11 Flip to Side Mount				
8.	56RG1130S	30mm	medium	24.49	
	56RG1130T	30mm	high	28.58	



№	SCOPE RINGS				
CODE		TUBE DIA.	PROFILE	SADDLE HEIGHT (mm)	
RG12					
9.	56RG12INM	1" inch	Medium	16.3	
	56RG12INL	1"inch	HIGH	9.3	
	56RG1230H	30mm	HIGH	26	
	56RG1230M	30mm	MEDIUM	14	
	56RG1230L	30mm	LOW	7	
RG16 when fastened pull lever out and adjust lever direction Steel Scope Rings					
10.	56RG16INL	1" inch	LOW	4.6	
	56RG1630L	30mm	LOW	4.6	
	CODE	TUBE DIA.	SADDLE HEIGHT	BASE LENGTH (mm)	
11.	56SR12INH	1" inch	28.3mm	88	
	561230H	30mm	26mm	88	
	56SR1234H	34mm	24mm	88	
№	SCOPE BASE				
	CODE	TUBE DIA.	SADDLE HEIGHT	BASE LENGTH (mm)	OFFSET DIST (mm)
SR12					
12.	56SR12INS	1" inch	28.3mm	83.5	52.75
	561230S	30mm	26mm	83.5	52.75
	SR1234S	34mm	24mm	83.5	52.75
SR14					
13.	56SR14INS	1" inch	28.3mm	91.6	44.9
	56SR1430S	30mm	26mm	91.6	44.9
	56SR1434S	34mm	24mm	91.6	44.9



CODE	Name	Tube Dia.	Profile / Height	Overall Length	Weight
59SMNRM9	M9	30 mm	1.54"	131 mm / 5.1"	159 g
59SMNRM10	M10	34 mm	1.93"	131 mm / 5.1"	169 g
59SMNRM1	M1	30 mm	40 mm / 1.6"	141 mm / 5.6"	245 g

59SMNRM9 M9

High Profile One Piece

59SMNRM10 M10

Tool-free gear adjustment bolt, centre red horizontal bar, extra 4 pins in base



59SMNRM1

M1 High Profile **0 MOA** One Piece. Black matte anodized, fits Picatinny rail.



High Profile One Piece, Tool-free gear adjustment bolt, centre red horizontal bar, extra 4 pins in base. Designed for .223, .308 Win, .338 Lapua Magnum

Material : T6061 Aluminum
 Finish : Black matte with hard anodizing
 Diameter : 30mm
 Profile : 40mm / 1.6" from Bottom to Ring Center
 Overall Length : 141mm / 5.6"
 Gap Length : 61mm / 2.4"
 Weight : 245g / 8.6oz
 Mounting : 21mm Picatinny

Black matte anodized, fits Picatinny rail, max 65mm objective lens, .223/.308/.338 cal

BB SHIELD



595NRBBS1

Red Win 30mm Dia. 2mm
Thickness Red Dot Sight Rifle
Scope Airsoft Accessories
Wargame Acrylic Airsoft Lens
Protect BB Shield

HOW TO USE




FEATURES

- High transparent Arcrylic Lens
- 30 mm Diameter 2mm Thickness
- 6pcs 3M High Quality Sticker
- 3pcs Protect Lens in a Pack

SCOPES Air Rifle MAGNIFICATION AIR RIFLE & RIFLE SCOPES

✓ 4x ✓ 15 MAGNIFICATION

60SD0808-716



Multiplex Reticle


Daisy

4x15 Magnification Adjustable for windage and elevation. Daisy Powerline airgun scope fits Standard 3/8" inch dovetail mount and features a crosshair recticle fog & shockproof. Color corrected. Fits all Powerline Daisy Air Rifle Models.

✓ 4x ✓ 32AO MAGNIFICATION

60SW0813-444

Winchester Variable Power
Air Rifle Scope 4x32AO



Multiplex Reticle


WINCHESTER
RIFLES AND SHOTGUNS

THIS SCOPE FEATURES 3-9x
VARIABLE POWER WITH
THUMB-ADJUSTABLE TURRETS.





60SS4*20

✓ 4x ✓ 20
MAGNIFICATION



Multiplex Reticle



✓ 4x ✓ 32

60SS4*32

✓ 4x ✓ 32AO

60SS4*32AO

AO = adjustable objective



✓ 3*9x ✓ 40

60SS3*9x40



✓ 3*9x ✓ 50

60SS3*9x50

Rifle SCOPES

60SS4-16X50AOE

4-16x50AEG ✓ 4*16x ✓ 50 AOE



Scope
Includes Mount &
Cover Caps

60SS4-24X50AOE

✓ 6*24x ✓ 50 AOE
4-24x50AEG



**SNIPER
AFRILEC**

RIFLESCOPES NUTREK RANGE




Next Page..

56RS0102

56RS0103

Specification	MARKSMAN 3-9×40 I [RS0102]	MARKSMAN 3-9×40 II [RS0103]
Series	MARKSMAN Series	
Model	3-9×40	
Tube Size	25.4 mm (1 inch)	
Power Ratio	3×	
Reticle - Focal Plane	SFP	
Reticle - Type	Foil	
Click Value	1/4 MOA	
W/E Adjustment Range	±30 / ±30 MOA	
Focus Setting	100 yds	
Field of View (ft@100 yds)	39.9 - 13.3	
Field of View (m@100 m)	13.3 - 4.4	
Eye Relief (mm)	99 - 91	
Turret Style	Capped, low-profile tool-free	TAC-LOK tactical-style
Coating	Fully Multi-Coated (FMC)	
Weight (g)	◆ 440 g	◆ 527 g
Length (mm)	307 mm	307 mm
Finish	Matte Black	



Construction: Nitrogen-purged, O-ring sealed, waterproof, fog-proof, shock-proof



The **NUTREK MARKSMAN 3-9×40** riflescope series delivers classic hunting performance in a durable, easy-to-use design. Built from aircraft-grade aluminum with fully multi-coated optics, it provides a bright, clear image with dependable accuracy in any condition. Nitrogen-purged and O-ring sealed, the MARKSMAN is waterproof, fog-proof, and shock-resistant. Ready for field use on high-recoil rifles. Available in two turret styles to suit every shooter's preference:

3-9×40 I (RS0102): Capped low-profile, tool-free turrets for traditional hunters.

3-9×40 II (RS0103): TAC-LOK tactical turrets for quick and repeatable adjustments.

Compact, lightweight, and reliable — a true all-purpose hunting optic.




RIFLESCOPES COMMANDER

The COMMANDER 4-16X42 OR 4-16X 50 riflescopes are ideal for medium to long range shooting and hunting in open-landscape



MODEL		56RS0301	46RS0304
TUBE SIZE		30mm	
POWER RATIO		4x	
RETICLE FOCAL PLANE		First	
CLICK VALUE		1/4 MOA	
FOCUS SETTING		10m~∞	
FIELD OF VIEW	ft@100yds	31.4~7.9	
	m@100m	10.5~2.6	
EYE RELIEF (MM)		102~82	
ILLUMINATED	RECTICLE	Yes	
TURRET STYLE		TAC-LOK	
WEIGHT (G)		580	700
LENGTH (mm)		314	316

Extra long eye-relief and spacious field of view, bright image with high contrast, with 30mm one-piece structure and TAC-LOK turrets.



56RS0301

4-16X42 FFP

56RS0304


4-16X50 FFP



RIFLESCOPES ADVENTURER



Designed specifically for close to medium range mission, including tactical engagement with rapid moving, and big game hunting at short distance on the move. 1-6x24 features genuine 1X magnification that are most close to naked eye but highly enhanced clarity. Shooting with both eyes open at ease for swift target acquisition and deadly accuracy.



FREEVIEW EYE BOX
Generous eye-relief of over 5 inch or 4 inch (depending on models) get you on target fast and easy

TAC-LOK TURRETS
Integrated tactical locking turrets provides fast, accurate, and readable windage and elevation adjustments that prevent accidental dialing

56RS0401

PRO RIFLESCOPES
1-6X24 FFP



56RS0402

4-16X42 FFP
MATTE BLACK

MODEL		56RS0401	46RS0402
TUBE SIZE		30mm	
POWER RATIO		4x	3.5X
RETICLE FOCAL PLANE		First	
CLICK VALUE		1/2 MOA	1/4 MOA
FOCUS SETTING		100 yds	10m~∞
FIELD OF VIEW	ft@100yds	100.4~16.8	27.6~7.9
	m@100m	33.5~5.6	9.2~2.6
EYE RELIEF (MM)		136~98	132~94
ILLUMINATED	RECTICLE	Yes	
TURRET STYLE		TAC-LOK	
WEIGHT (G)		542	761
LENGTH (mm)		262	339



BFMC COATING
Broadband Fully Multi-Coated lenses deliver maximum brightness and contrast



WATERPROOF
Submersion in water without water intrusion


FIRST FOCAL PLANE
FFP reticles that zooms proportionately with the magnification



SHOCKPROOF
Defies repeated 1200G Impact



CRUX ARMOR
Type-III Hard Anodization stays intact from unwanted scratch

Specification	Rome RW2 (59SNRRW2)	Rome RW3 (59SNRRW3)	Notes / Difference
Model	4-16×44 SF	6-24×50 SF	RW3 offers higher magnification & larger objective
Tube Diameter	30 mm (Monotube)		
Magnification Range	4× – 16×	6× – 24×	RW3 is for longer-range precision
Objective Lens Diameter	44 mm	50 mm	RW3 provides brighter image in low light
Ocular Lens Diameter	36 mm	39 mm	Slightly larger eyepiece on RW3
Reticle Type	HMD-1 (MIL-DOT)		
Focal Plane	Second Focal Plane (SF)		
Click Value	1/10 MIL		
Turret System	Lock system with zero-reset		
Parallax Setting	100 yds		
Parallax Compensation	15 yds – ∞	20 yds – ∞	RW3 starts slightly farther
Field of View (ft @ 100 yds)	30.3 – 7.6 ft	17.1 – 4.5 ft	RW3 narrower due to higher zoom
Eye Relief	96 mm		
Exit Pupil	11.2 – 1.86 mm	11 – 3.6 mm	Similar brightness range
Elevation/Windage Range	≥17.5 MIL (60 MOA)		
Recoil Resistance	—	800 g's	RW3 rated for higher recoil
Water Resistance	IPX6		
Coating	Fully Multi-Coated		
Finish	Matte Black (Scratch-resistant)		
Length (mm)	315 mm	363 mm	
Weight (g)	610 g	700 g	
Operating Temp.	-20°C to +60°C		

Construction Material : Aircraft-grade aluminum
Package Includes: Weaver/Dovetail Mount, Flip-Up Caps, 3" Sunshade, Cloth, Manual.
RW3 Includes a Medium Mount.



Multi Coated



Crystal Image



Monotube



Mil Dot reticle



Scratch resistant



Zero System



IPX6



Images on next page..

59SNRRW2



Elevation Adjustment
Standard Click Value : 1/10 MIL
≥ 17.5 MIL (60 MOA)

Windage Adjustment
Standard Click Value: 1/10 MOA
≥ 17.5 MOA (60 MOA)



• Ocular Lens Diameter
36mm

• Magnification Ring
4x-16x

• Side Focus
Parallax compensation
15 yds - infinity

RW3 ROME

59SNRRW3



Objective
50mm
Lens Diameter

Elevation Adjustment
Standard Click Value : 1/10 MIL
≥ 14.5 MIL (50 MOA)

Magnification Ring
6x-24x

Ocular Lens
39mm
Diameter

Side Focus
Parallax compensation
20 yds - infinity



RIFLESCOPES RW5 & RW9


Feature	RW5 - Seasons (59SNRRW5)	RW9 - RYNOX (59SNRRW9)	Difference / Notes
Magnification	6-24x 6-24x50 FFP	1.2-6x 1.2-6x24 SFP	RW5 is long-range, RW9 is beginner/close-range
Objective Lens	50 mm	24 mm	RW5 has larger objective for brighter image
Tube Diameter	30 mm		
Reticle	MAT-1 (FFP)	HMD-2 (SFP)	RW5 is Tactical FFP, RW9 is SFP beginner reticle
Turret Click	1/10 MIL	1/2 MOA	RW5 finer adjustment
Parallax	20 yds - ∞	100 yds	RW5 adjustable closer distances
Eye Relief	96 mm	100 mm	RW9 slightly more forgiving for eye placement
Length	360 mm	250 mm	RW9 is compact
Weight	610 g	390 g	RW9 is lighter
Use Case	Precision tactical / long-range	Beginner / mid-range	RW5 professional, RW9 compact entry-level
Waterproof	IPX6		

SEASONS RW5 59SNRRW5



The RedWin® Seasons RW5 6-24x50 FFP represents the next generation of tactical optics - engineered for accuracy, reliability, and clarity. Constructed from wear-resistant copper alloy components and **T6061 aluminum**, the RW5 ensures

mechanical stability and repeatable precision. Its MAT-1 tactical FFP reticle, designed by professional shooters, combines passive rangefinding and windage compensation for precise holdovers up to 17 MRAD vertical and 16 MRAD horizontal.



RYNOX RW9

59SNRRW9



Engineered for agility and precision, the RedWin® Rynox RW9 1.2-6x24 SFP is ideal for hunters and tactical shooters who demand reliability in a compact package. Constructed from high-quality T6061 aircraft aluminum, it delivers strength without excess weight. The HMD-2 reticle provides 1 mil grid spacing with a 0.2 mil center dot, offering clear holdover reference points across 20 mils of vertical and horizontal range.

RIFLESCOPES RW10 & RW13

Scarlet TOWA



Feature	RW10 1-6×24 SFP 59SNRRW10	RW13 - 1.2-6×24 IR 59SNRRW13
Magnification	1-6×	1.2-6×
Objective Lens	24 mm	24 mm
Ocular Lens	40 mm	36 mm
Tube Diameter	30 mm	30 mm
Focal Plane	SFP	SFP
Reticle	Delta Wing	MRB-W (G4H)
Click Value	1/2 MOA	1/2 MOA
Total Travel Elevation	≥ 35 MIL / 120 MOA	≥ 35 MIL / 120 MOA
Total Travel Windage	≥ 35 MIL / 120 MOA	≥ 35 MIL / 120 MOA
Parallax Compensation	100 yds	100 yds
Field of View (ft@100 yds)	109.2 - 18.2	109.2 - 18.2
Eye Relief	100 mm	100 mm
Length	250 mm	250 mm
Weight	450 g	420 g
Material	Aircraft Aluminum	T6061 Aircraft Aluminum
Coating	Fully Multi-Coated	Fully Multi-Coated
Illumination	5-Level Red & Green	5-Level Red & Green
Water Resistance	IPX6	IPX6
Special Features	Delta Wing BDC Reticle, HD AR Lens, CQB Tactical	German #4 Glass Etched Reticle, MRB-W BDC Rangefinding, MOA+ Wind Hold

For more details on these scopes view them in Redwin Catalogue



59SNRRW10C

Brown

59SNRRW10

Black



59SNRRW13

Black



Patented Delta Wing



Original Design



Illumination



IPX6



Multi Coated



'N.O.U.S.' Optical System



No Edge Design



Zero System

BLACKBEAST

59SNRRW21

TORERO

59SNRRW18

TORERO

MRB-W 59SNRRW1MOA

RHM-1 59SNRRW1MIL


Feature	RW21 — Blackbeast 1-10×24 SFP	RW18 — Torero 1-6×24 FFP	RedWin® Torero 1-6×24 IR
Magnification	1-10×	1-6×	1-6×
Focal plane	SFP (second focal plane)	FFP (first focal plane)	SFP
Objective lens	24 mm	24 mm	24 mm
Ocular lens	40 mm	36 mm (typical listings)	36 mm
Tube / monotube diameter	30 mm	30 mm	30 mm
Reticle	MAT-4 (tactical BDC + rangefinding circle) SFP	MAT-3 (MAT horseshoe / BDC) - FFP	MRB-W (G4H style BDC + wind holds) or RHM-1 (simple MIL/MOA hashes) - SFP
Click value	1/2 MOA	1/2 MOA (typical; some FFP variants list 1/10 MIL options)	1/2 MOA (some MIL variants 1/5 MIL exist for Mil models)
Total travel (E / W)	≥ 120 MOA (≈35 MIL)	≥ 120 MOA (≈35 MIL)	≥ 120 MOA (≈35 MIL)
Parallax set	100 yd	100 yd	100 yd
Field of view @100 yd	~113.9-11.5 ft (1-10×; wider at 1×)	~109.2-18.2 ft (at 1-6×)	~109.2-18.2 ft
Eye relief	~95-90 mm	~100 mm	~100 mm
Length	~277 mm	~250-270 mm (model dependent; many RW18 listings ~260-270 mm)	~250 mm
Weight	~530 g	RW18: ~500-540 g (FFP versions higher)	~420 g (typical SFP RW1 weight)
Coatings	Fully multi-coated + low dispersion elements	Fully multi-coated / HD coatings	Fully multi-coated
Illumination	11 levels red illumination	6-level red (some variants) / red & green on other Torero variants	5-level red & green (MRB-W) or 6-level red (MAT / horseshoe variants)
Waterproof / Shock	IPX6	IPX6 (water resistant)	IPX6
Special / selling points	True 10× real magnification, wide FOV at 1×, MAT-4 etched BDC for rangefinding & long range	FFP layout for consistent holdovers at any mag; MAT-3 horseshoe reticle for fast CQB	Flexible reticle family (MRB-W = MOA+BDC with wind holds; RHM-1 = simpler MIL hashes); lighter SFP LPVO option
Typical intended use	Versatile 1-10 hunting / tactical - 1× CQB and 10× long range all in one	Tactical/competition LPVO (FFP) - dynamic shooting, 2-eye shooting with FFP advantages	Entry/utility LPVO for ARs: CQB to mid range, various reticle choices for 5.56-style ballistics

59SNRRW21



TORERO

59SNRRW18



223, 5.56, .308win, .3006, .300, .338 lapua Magnum



TORERO

1-6x24 IR



59SNRRW1MOA

MRB-W

59SNRRW1MIL

RHM-1

RIFLESCOPES REDWIN COLLECTION

SPECIFICATIONS

	59SNRRW1MOA 1-6×24 SFP	59SNRRW1MIL 1-6×24 SFP	59SNRRW2 1-4×24 SFP	59SNRRW3 1.5-6×32	59SNRRW5 3-9×40	59SNRRW9 15×50 HD	59SNRRW10 3-9×40	59SNRRW18 1-6×24 FFP	59SNRRW21 1-10×24 SFP
Featured Magnification	1-6× MRB-W	1-6× RHM-1	1-4× RW2	1.5-6× RW3	3-9× RW5	2.5-15× RW9	3-9× RW10	1-6× RW18	1-10× SFP
Objective Lens	24 mm			32 mm	40 mm	50 mm	40 mm	24 mm	
Ocular Lens	36 mm				38 mm	40 mm	38 mm	36 mm	40 mm
Focal Plane	SFP							FFP	SFP
TUBE Monotube	30 mm				25.4 mm (1 ")	30 mm	25.4 mm (1 ")	30 mm	
Reticle Type	MRB-W (MOA + BDC + wind hold)	RHM-1 MIL hash	BDC red/green	BDC crosshair	Duplex	HD-BDC rangefinding	Range-BDC	MAT-3 Horseshoe (BDC)	MAT-4 Tactical BDC
Click Value	1/5 MIL		1/2 MOA	1/4 MOA		1/10 MIL	1/4 MOA	1/2 MOA	
Elevation	≥ 35 MIL (120 MOA)		120 MOA		80 MOA	25 MIL	80 MOA	120 MOA	
Parallax Set	100 yd					Side adjustable (10 yd-∞)	100 yd		
Field of View @1000 yards	109.2-18.2 ft		112-27 ft	101-17 ft	37-13 ft	40-8 ft	37-13 ft	109.2-18.2 ft	113.9-11.5 ft
Eye Relief	100 mm		95-100 mm		85-95 mm	90-100 mm	85-95 mm	100 mm	95-90 mm
Length	250 mm		245 mm	255 mm	310 mm	330 mm	310 mm	260-270 mm	277 mm
Weight	420 g			480 g	510 g	720 g	500 g	520 g	530 g
Lens Coating	Fully multi-coated				Multi-coated	HD / ED glass	Multi-coated	HD multi-coated	Fully multi-coated + LD
Illuminations	5 Levels Red & Green	5 Levels Red & Green	5 Levels Red	Red / Green	Red	11 Levels Red	Red	6 Levels Red	11 Levels Red
Battery	CR2032								
Finish	Matte black								
Waterproof / Shockproof	IPX6								
Notable Features	Mil-hash etched glass, zero-lock turret, Nous optical system	Simplified reticle for rapid CQB	Compact LPVO entry model	Mid-range hunting clarity	Traditional 3-9x classic	HD optics, side focus, rangefinder BDC	Versatile all-round use	FFP holdovers, MAT-3 CQB reticle	True 10× zoom, tactical BDC circle
Typical Use	CQB / mid-range AR optics	Close-quarters AR / 3-Gun	Entry-level tactical	Hunting / tactical hybrid	General hunting	Long-range / precision	Utility rifle scope	Dynamic shooting / FFP LPVO	1× CQB - 10× multi-range LPVO



MRB-W



RHM-1

59SNRRW1MOA

Power Ring Diameter 44MM

Monotube Diameter 30MM



59SNRRW1MOA

Elevation Adjustment
Standard Click Value: 1/2 MOA
≥ 120 MOA (35 Mil)

Windage Adjustment
Standard Click Value: 1/2 MOA
≥ 120 MOA (35 Mil)

Ocular Lens Diameter
36mm



Magnification Ring
1x-6x


Illumination
5 Levels Red & Green

Objective Lens Diameter
24mm

58SB4*32




CROSSBOW
5 STEP RECTICAL SCOPE



58SMK4*32



CROSSBOW
3 STEP RECTICAL SCOPE



56NV02HD NIGHT VISION digital Camouflage 5x40HD DIGITAL MONOCULAR



NV-02HD
Camo

- ✓ 5x Magnification
- ✓ Dark Range 2m - 200m

» Dimensions 200x86x56 mm

FEATURES & BENEFITS

- ✓ Observe 200m in Complete Darkness
- ✓ Take photos and record 10min videos
- ✓ Rechargeable 1.5 hour battery life
- ✓ Built-in adjustable infrared illuminator
- ✓ Quick to setup and easy operation
- ✓ High quality robust construction
- ✓ Playback on device, monitor or PC



SPECIFICATIONS

Magnification.....	5x
Range (dark)	2m - 200m
Objective dia	40mm
Field of view	6°
Range (low light).....	2m - ∞
Battery	BCR 3.7V li-lion 14500
.....	750 mAh
Weight	400g

OPTICS MONOCULAR

56CNV03HD PJ2-0532



IMAGE CAPTURE



VIDEO RECORDING



DAYTIME COLOR



VIEWING DISTANCE



ZOOM



FEATURES

- ✓ Observe Lens Dia. 32mm
- ✓ Eyepiece Dia. 12mm
- ✓ Wavelength of auxiliary infrared illuminator 850nm
- Equipped with USB2.0 interfact, AV interface & TF Slot
- ✓ Powered by 3 Pieces of AA Battery which brings longer duration
- ✓ Filter lens supplied for improving daytime image quality to be removed when used at night

NV-02HD
Black

- ✓ Pitch Dark 2.0m - 200m
- ✓ Pixels 640*480

Visual Distance up to 200 meters

- ✓ 5 Power Optical Zoom Plus 5 Power Digital Zoom

» Dimensions 189x84x57 mm

DEVELOPED FOR



Surveillance



Outdoor



Hunting



Boating

OPTICS MONOCULAR

56NV04HD 0118 digital night vision



IMAGE CAPTURE



VIEWING DISTANCE



VIDEO RECORDING



ZOOM



DAYTIME COLOR

NV-04

- ✓ 5x18 Magnification
- ✓ Dark Range 2~ 200m

» Dimensions 102x76x49mm

» Weight: 170g

Magnification.....Optical 1x Digital zoom 5x

Objective Lens Diam.....18mm

Field of view 16.8°x20.2°

Field of view±5°

Camera Type: 1/3" CMOS/30,000 Pixels

Display Type Resolution 0.2"/LCOS/750x560 Pixels

Battery: Rechargeable Lithium Battery 750MaH (14500CE)

Waterproof IPX4

Memory ..SD Card, 8GB

-- Supporting 4-32GG --

Functions: Photographing, record videos, playback, time-set

59SCNV150 DIGITAL NIGHT VISION MONOCULAR



Using Digital technologies to provide a bright clear and sharp image. Portable. (does not use old-intensifier tubes, causing blurry green images). The built-in infrared illuminator allows use in ambient light or in total darkness. Boasting an impressive range of 229 feet in total darkness with an 8.5 degree angle of view. Does include a soft pouch and wrist strap.

Aura™



NV-150

- ✓ 2x/4x Magnification
- ✓ Weight 0.4lbs
- ✓ Dimensions: 4.8 x 2.3 x 1.3

Uses 3 x AAA batteries not incl.

OPTICS Mini Aura™ DIGITAL NIGHT VISION MONOCULAR

59SCNV200



» Dimensions
2.5" 2.2" 1.0"



NV-200

- ✓ upto 146 ft
- ✓ Weight 54gr

Uses 3 x AAA batteries not incl.

CARSON™

Say goodbye to night vision devices with image intensifier tubes that burnout over time. Complete Digital Night Vision Monocular that won't burn out. The image seen will no longer be green but a crisp black and white view. The intensity can be easily adjusted with a simple push of a button. It boasts a 19-degree angle of view and you can see up to 146 feet in total darkness. The **Mini Aura™** is compact and lightweight and can even fit in your pocket allowing you to bring it almost anywhere. Use the Mini Aura™ on camping trips for late night wildlife viewing, at dusk during hunting trips or during any outdoor activity. It can be used in ambient light or in total darkness. Comes with a carry pouch.

59SCNV250**Aura™ Plus DIGITAL NIGHT MONOCULAR****VISION**

Includes 8GB MicroSD card
 *supports up to 32GB
 soft pouch & wrist strap
Uses 3 x AAA batteries not incl.



- ✓ 2x/4x Magnification
- ✓ Weight 127gr

NV-250

» Dimensions 4.9" 1.2" 2.5"

Aura™ Plus Digital Night Vision Monocular/Camcorder. Bright clear image with built-in IR illuminator. Capture photos/videos on 8GB MicroSD. Range 393 ft, 10° FOV.

SPEC / FEATURE TABLE ON NIGHT VISION MONOCULARS

Spec / Feature	56NV02HD	56CNV03HD	56NV04HD	59SCNV150	59SCNV200	595CNV250
Model:	NV-02HD :: Camo	NV-02HD :: Black	NV-04	NV-150: Aura™	NV200: Mini Aura™	NV-250: Aura Plus™
Magnification	5x	5x Optical + 5x Digital	1x Optical + 5x Digital	2x / 4x	-	2x / 4x
Range (dark)	2-200 m			70 m (229 ft)	45 m (146 ft)	120 m (393 ft)
Objective Lens	40 mm	32 mm	18 mm	-	-	-
Field of View	6°	-	16.8°x20.2°	8.5°	19°	10°
Weight grams	400	-	170	181	54	127
Dimensions mm	200 x 86 x 56	189 x 84 x 57	102 x 76 x 49	122 x 58 x 33	64 x 56 x 25	124 x 30 x 64
Battery	BCR 3.7V Li-ion 14500 750 mAh	3 x AAA	750 mAh Li-ion	3 x AAA		
Memory	-	TF Slot USB2.0 / AV	SD Card 4-32 GB	-	-	8 GB MicroSD (supports up to 32 GB)
Video / Camera	10 min recording	-	Video recording	-	-	Photos & video
IR Illuminator	Yes					
Waterproof	No		IPX4	No		
Other Features	Playback on device/ monitor/PC, Quick setup, Robust construction	Filter lens for daytime, Long battery duration	Photographing, Playback, Time-set	Portable, Soft pouch & wrist strap	Compact / pocket-sized, Adjustable intensity, Carry pouch	Digital NV + Camera, Soft pouch & wrist strap

SPEC / FEATURE TABLE ON MONOCULARS BY

Spec / Feature	56NV02HD	56NV03HD	56NV04HD	56NV06WD
Device Type	Digital Monocular			Night Vision Riflescope
Magnification	5x	5x Optical + 5x Digital	1x Optical + 5x Digital	4.5x Optical + 3x Digital
Objective Lens	40 mm	32 mm	18 mm	50 mm
Field of View	5° x 3.75°	-	16.8° x 20.2°	7°
Diopter / Eyepiece	+/-1°, 12 mm	Adjustable	+/-5°, 10-15 mm	+/-10°, 50 mm
Visible Distance (low light)	2.5 m - ∞	2 m - ∞	2-∞	2.5-500 m (natural starlight)
Visible Distance (dark)	2.5-200 m	2-200 m	2-200 m	2.5-300 m (external IR)
Battery	3.7V 750 mAh (14500 CE)	1x AA	3.7V 2200 mAh (18650 CE)	3.7V 2200 mAh (18650 CE)
Dimensions (mm)	200 x 86 x 56	approx. 189 x 84 x 57	102 x 76 x 49	235 x 78 x 97
Weight (g)	345	N/A (approx. 350)	170	1031
Memory	-	TF Card / USB2.0 / AV	8 GB	-
IR Illuminator	Built-in, adjustable	Built-in, 940nm	Built-in, 850 nm	Detachable
Video / Camera	10 min recording	Photo/video recording, playback	Video/photo recording, playback	Photo/audio/video recording
Mount	Threaded tripod, Picatinny rail	Threaded tripod	Helmet-mount capable	Fits multiple rails
Other Features	Camouflage, portable, quick setup	Day/night auto mode, portable	Compact, helmet-mountable	Impact-resistant, concealment

56NV02HD

 Digital Camo
 5X φ40mm

Ideal for a wide variety of night-time applications. Ultra-low-light CMOS sensor with externally-mounted 940 nm IR illuminator allows detection of objects 2-200 m away. Auto day/night mode: color images in daylight, black & white at night. Highly portable and easy to conceal with camouflage body. Features threaded tripod mount, Picatinny rail, and multiple external interfaces (USB2.0, TF card, AV cable). Photo/video recording with playback
Uses 1x CR2 Battery (Not included)



56NV04HD

Black
✓ 5X ϕ 18mm



DIGITAL Monocular

Compact and lightweight night vision for hunting, search, surveillance, and general observation. Works day or night; in total darkness, CCD sensor and built-in 850 nm IR illuminator provide clear images. Filter lens improves daytime observation. Can be helmet-mounted. Built-in 8 GB memory for videos. Includes USB and AV connections.

Use 1x AA rechargeable
Lithium Battery (not included)



Clear photo shooting and video recording with playback functions which allows you can share your images and videos to your family and social media.

56NV03HD

Black
✓ 5X ϕ 32mm



Use 3x AA Batteries
not included

- ✓ Observe up to 200 m in complete darkness; unlimited distance in daylight/low light
- ✓ 5× optical magnification + 5× digital zoom, 32 mm objective lens
- ✓ Adjustable eyepiece diopter
- ✓ Photo capture, video recording, and playback
- ✓ USB & AV connectivity for computer/monitor
- ✓ Supports multiple external interfaces: USB2.0, TF card, AV cable
- ✓ Threaded tripod mount included

56NV06WD

Black
✓ 4.5X ϕ 50mm

Used to observe or aim at a target clearly in day and night or extremely low light environment.



- ✓ Optical magnification is 4.5X and the digital magnification is 3X.
- ✓ Capture pictures & record audio and video
- ✓ Accurate, customized, rich and deep image perception
- ✓ Impact resistance, concealment, fitting multiple types of rails
- ✓ Rechargeable lithium-Ion battery type 18650 (included)
- ✓ Highly sensitive CMOS sensor
- ✓ Detachable powerful IR illuminator



Feature / Spec	1. 59CAMS880	2. 59CAMS680	3. 59CAMPR100	4. 59CAMPR300A
Model	MS880 Non-SMS	MS680 Non-SMS	PR100 Non-SMS	PR300A Non-SMS
Type	Scouting Trail Camera	Bushcam Trail Camera	Bushcam Trail Camera	Digital Trail Camera
Resolution - Photo	12 MP	12 MP CMOS	12 MP	5 MP / 1 MP Color CMOS
Trigger Speed	0.4 s	0.7 s	-	0.8 s
Lens / FOV	Wide 100° Regular 52°	-	120°	120° Lens
PIR Angle	Wide 110° / Regular 52°	20 m sensing	-	110°
Night Vision	IR 56pcs 850nm or 940nm	Infrared	Infrared LEDs	Night Vision
Video	1080P 30FPS	Video function	-	HD 1280×720 25FPS
Photo	Crystal Clear Day & Night	-	-	2560×1440
Memory	SD Card 8MB-32GB	SD Card	SD Card 32 GB	Micro SD max 32 GB
Waterproof	IP54	Waterproof	Waterproof	IP56
Key Features	Time Lapse, Delay, Timer, Stamp, SD Cycle	2.63" Color Screen	Digital trap camera	3 Photos + 10s Vid- eo, USB 2.0, 12-month Standby
Weight	-	-	-	160 g
Size	-	-	-	135×90×55 mm
Notes / Tags	Trail / Night Vision	Trail / Night Vision	Trail / Night Vision	Hunting / Security / Game / Trail / Night Vision

1. MS880



NON-MMS

Scouting
TRAIL
CAMERA

12 MP Photo |
1080P Video @ 30FPS
Trigger: 0.4s |
Night Vision: 15m (50ft)
Lens / PIR: Wide 100° / 110° |

Regular 52° / 52°
56 IR LEDs (850nm or 940nm) |
PIR Sensitivity: High/Normal/Low
SD Card: 8-32GB | IP54 |
Time Lapse, Timer, Stamp

2. MS680



NON-MMS

Bushman
TRAIL CAMERA

- » 12 MP CMOS
- » Trigger: 0.7s | Sensing: 20m
- » Infrared Night Vision | Video
- » 2.63" Color Screen
- » Waterproof

night vision-digital
trap camera **Bushman**

3. PR100



NON-MMS



- » Waterproof
- » 12PM Degree Wild Camera
- » Infrared LED 32GB 120



Digital
hunting / security / game


4. PR300A




NON-MMS




- » FULL HD Video
- » NON-MMS
- » CE FCC ROHS
- » Ultra low standby current: 0.01 mA



Night vision



Full HD 1080P



Trigger time



Wide angle

56CAMSP



SOLAR CHARGER

SOLAR CHARGER can
be used for charging
TRAIL CAMERAS

**SOLAR
CHARGER**

Size (L*H*W): 140 x 87 x 25 mm
Used to keep Trail Cameras charged
with the advantage of using
Solar Technologies

59RFCRF650

LiteWave™ RF-650

Emits a visible laser beam that and safe to the eyes.

3 different modes.

- » Mode 1 _
measures a straight line distance and degree of elevation.
- » Mode 2 _
measures a straight line (actual) distance, degree of elevation horizontal distance and the vertical distance between the horizontal and actual distances.
- » Mode 3 _
displays all the measurements from Mode 2, however in this mode the item will continuously scan these distances, as one moves the reticle around and view different subjects.

The LiteWave™ rangefinder is accurate to within +/- 1 yards in most cases. The effective operating range is from a minimum of 5 yards to a maximum range of 650 yards (3.5meters to 600 meters)

- ☆ Magnification: 6x Lens Diameter: 24mm ☆ Field of View: 341ft at 1000 yards
- ☆ Battery: CR2 3V Lithium Battery (included) ☆ Weight: 6.7oz. ☆ Dimensions: 4.4" x 1.7" x 2.9"

Everglade **Spotting** Scope

59BCSS-560

Weight : 1025gr
Dimensions : 13.6" x 4.1" x 6.3"
A Minimum Focusing Distance at 20 feet

INCLUDES:- Tabletop tripod, protective pouch, Protective cover on eyepiece twist up eye cup. Extend the sun shade to cut down on external glare.



14-16mm

✓ 15x - 41x

Magnification

« nitrogen purged/O-ring sealed »

Water & Fog Proof

MAGNIFICATION : 15x - 45x
Objective Lens Diameter : 60mm
Focusing Prism Type : BK-7
Angle Prism Type : BAK-4
Coating : Fully Multi-Coated



RED PLANET Reflector Telescope 45-100×114mm

RP-300



59TCRP300

Specification	Details
Optical Design	Newtonian Reflector
Aperture	114 mm
Focal Length	900 mm
Focal Ratio	f/7.9
Mount Type	Equatorial
Slow Motion Controls	Yes
Resolution (Rayleigh)	1.2 arcseconds
Resolution (Dawes)	1.0 arcseconds
Limiting Magnitude	17.8
Low Useful Magnification	45×
High Theoretical Magnification	100×
Eyepiece 1 Focal Length	20 mm
Eyepiece 1 Magnification	45×
Eyepiece 2 Focal Length	9 mm
Eyepiece 2 Magnification	100×
Finder Scope Magnification	6×
Finder Scope Aperture	30 mm
Finder Scope Erecting	No
Level Range	Beginner – Advanced
Tripod Included	Yes
Tripod Material	Aluminum
Tripod Height Range	0.7 – 1.2 m
Item Weight	7.83 kg
Item Dimensions (L×W×H)	101.6 × 117.6 × 151.6 cm
Box Weight	9.80 kg
Box Dimensions (L×W×H)	90.4 × 28.4 × 23.9 cm

Robust Equatorial Mount – Achieve smooth, precise celestial tracking with the equatorial mount and counterweight system.



High-performance Newtonian reflector telescope designed for both beginners and experienced astronomers. It combines affordability, portability, and optical precision, making it an excellent choice for exploring the night sky. Engineered for intermediate enthusiasts, this telescope provides stunning views of the Moon, planets, and deep-sky objects with superior image clarity and smooth celestial tracking.

Perfect for Intermediate Astronomy Enthusiasts – Elevate your stargazing experience with advanced optics and a powerful 114 mm aperture.

SKY RUNNER™

59TCSV350

Type: Short Tube
Wide-Angle
Refractor Telescope



Aperture: 70 mm
Focal Length: 350 mm
Magnification: 14×–116.6×
Weight: 3.05 lbs
Dimensions:
15.4" × 13" × 19"

Includes 45° diagonal viewer for terrestrial use, 8x21mm finderscope, two Kellner eyepieces, and a 2x Barlow lens (4 total magnifications). Compact table-top tripod fits standard camera tripods.

Simple, efficient design — ideal for beginners or youth. Perfect for both sky and daytime viewing.

AIM™

Up to **78×** Magnification
Ideal Beginner Telescope

59TCMTEL50

for Astronomical and
Terrestrial Use

Includes: K20 (17.5×) & K9 (39×) eyepieces, 2× Barlow lenses (35× & 78×), erecting prism, and tripod.



Specs: Aperture 50 mm
Focal Length 350 mm
Weight 589 g
Size 15.8" × 13.5" × 13"

The **Aim™ MTEL-50** is a 50 mm refractor telescope with a 350 mm focal length and magnification up to 78×. Rugged, lightweight, and easy to operate, it includes an adjustable tabletop tripod for stable viewing.

59MCMMMS160

Biological Microscope MS SERIES

MS-160

Magnification: : 40x-1600X
Eye Pieces: : WF10x, WF16x
Objectives: : 4x, 10x, 40x, 100x
Weight: : 10.60 lbs
Dimensions: : 6.8" x 8.0" x 14.1"
Working stage size : 130 x 1140mm, condenser:
Abbe 1.25 nA with Iris Diaphragm filter.

PLUGS INTO ANY STANDARD OUTLET:-

AC 110V-240V, 50/60HZ incl. an AC power adaptor
for use abroad without need of voltage transformers

The **MS-160** is a 40-1600X microscope. **Designed & intended for Adult use only.** Metal body with 360° degree rotatable monocular head. Coaxial coarse/fine adjustment for easy use. Total magnification 40x-1600x.



- » Double layered mechanical stage 130mm x 1140mm » Both coarse and fine focus knobs to achieve a sharp focus » Two sets of wide field eyepieces: **10X** and/or **16X**
- » **LED illumination** provides brighter white color light » intensity control knob with 1.25NA Abbe Condenser, iris diaphragm to set the optimal lighting conditions. » Filter holder includes a blue color filter

59GCBX42

FLASHSHIELD™ BX-42

Weight : 0.02 lbs
Dimensions : 2.6" x 2.0" x 1.1"



Anti-reflective Device for Binoculars

Carson Optical is the first to come to market with an anti-reflective device to clip to your binoculars. Say goodbye to sun glare as the sun rises on your early morning hunt. Gone are the days of the reflection of the sun off your binocular lenses scaring away wildlife. Carson Optical's new FlashShield is the solution to these issues.

The functionality of the FlashShield is three-fold:

- Kill flash function: Blocks reflections off the lenses that may otherwise expose your position to your target.
- Sunshade function: Helps reduce glare, easier to see objects in bright light conditions.
- Lens Protection function: Helps keep dust/particles from easily getting directly to lens.

The FlashShield easily clips-on to most full-size binoculars and riflescopes (32mm-43mm). They are light-weight, easy to attach and there is no need to worry about threads. The FlashShields are a must-have piece of gear for the serious hunter.



59BCBA03

BA-03 BINO-ARMOR™
 Weight : 0.2 lbs
 Dimensions : 7.0" x 5.5" x 2.0"

Durable neoprene case protects binoculars from shock & keeps lenses safe from dust, debris & scratching. eliminates the need to separate pouch & eye cups. The ultra-quiet magnetic fastener will not startle wildlife while opening. Use in conjunction with a neck strap or harness for use in field. The **Bino-Armor™** guarantees Binoculars will always be ready for viewing at a moments notice. Fits many different 42mm Binoculars.

Provide ultimate protection while maintaining easy access to your binoculars.

59BCHU-401

HU-401 **ADVENTUREPAK™**

- ✓ 5x Magnification
- ✓ 30mm Lens

» Prism type: BK-7
 » Weight: 0.89 lbs
 Compass, Flashlight & Whistle/thermometer

ADVENTUREPAK™ INCLUDING 30MM KIDS FIELD BINOCULARS, LENSATIC COMPASS, FLASHLIGHT AND SIGNAL WHISTLE WITH A BUILT-IN THERMOMETER

The HU-401 AdventurePak™ is everything you need for great adventures! Perfect for backpacking, biking, camping, and all forms of exploration. Lensatic compass with true hand-bearing triangulation capabilities, and a combination signal whistle/thermometer.

DIMENSIONS

10.5" x 1.9" x 8.6"
 Uses 2x AA batteries
 *not included



KIDS

59BCHU-530

The HU-530 **Hawk™** is a colorful, lightweight and easy to use Binocular. Great for any child seeking a closer look at nature.

Objective Lens Diameter: 30mm
Weight: 6.6oz / 165g
Dimensions: 4.5 in x 1.6 in x 4.5 in
Accessories: Pouch, Case and Strap





*** Warning** – The cases for the "TD Series" devices, contains magnets which can interfere with pacemakers and implantable cardioverter defibrillators (ICD's). Individuals with pacemakers or ICD's **should NOT use this product**.

3D-TD Series Includes BinoAmour Deluxe and lens cloth

carry case, neck strap shoulder harness



Anti Fog Waterproof

59BCTD-042

- ✓ 10x Magnification
- ✓ 42mm Lens

- ① Prism Type BAK-4
- ② Fully Multi Coated Lens
- ③ Weight 612gr
- ④ Field of view: 314ft @1000 yards
- ⑤ Dimensions 5.0" x 2.3" x 5.9"

59BCTD-042ED

- ✓ 10x Magnification
- ✓ 42mm Lens

- ① Prism Type BAK-4
- ② Fully Multi Coated Lens ED Glass
- ③ Weight 763gr
- ④ Field of view: 262ft @1000 yards
- ⑤ Dimensions 4.9" x 2.1" x 5.7"



3D/TD SERIES
Mossy Oak™ Armor
with ED Glass

59BCTD-042EDMO

- ✓ 10x Magnification
- ✓ 42mm Lens

- ① Prism Type BAK-4
- ② Fully Multi Coated Lens
- ③ Weight 612gr
- ④ Dimensions 5.0" x 2.0" x 5.6"
- ⑤ Field of view: 314ft @1000 yards
- ⑥ Close focus 9.5ft

Nitrogen purged and O-ring sealed-waterproof and fogproof



Anti Fog Waterproof

with RubberGrip

59BCTD-832

- ✓ 8x Magnification
- ✓ 32mm Lens

- ① Prism Type BAK-4
- ② Fully Multi Coated Lens
- ③ Weight 607gr
- ④ Field of view: 392ft @1000 yards
- ⑤ Dimensions 5.0" x 2.0" x 5.0"

OPTICS BINOCULARS 3D-TD SERIES™

includes BinoAmour Deluxe carry case, neck strap shoulder harness + lens cloth

Anti Fog Waterproof



EYE RELIEF



with RubberGrip



19.5mm

✓ 8x Magnification

✓ 42mm Lens

59BCTD-842

- ❶ Prism Type BAK-4
- ❷ Fully Multi Coated Lens
- ❸ Weight 607gr
- ❹ Field of view: 314ft @1000 yards
- ❺ Dimensions 5.3" x 2.1" x 5.7"



with ED Glass



19.5mm

✓ 8x Magnification

✓ 42mm Lens

59BCTD-842ED

- ❶ Prism Type BAK-4
- ❷ Fully Multi Coated Lens ED Glass
- ❸ Weight 625gr
- ❹ Field of view: 341ft @1000 yards
- ❺ Dimensions 5.0" x 2.0" x 5.0"

These Binoculars feature a large lens **42mm & BAK-4 prisms**

JR-series is an ideal choice for hunting, birding, hiking or fishing. Twist-up eyecups stop in three positions to provide optimal eye relief for all users.

« **CLOSE FOCUS** » O-ring sealed & nitrogen purged making them **waterproof & fogproof** Fully-Multi Coated for crisp/clear viewing

JR-042



17mm

✓ 10x Magnification

✓ 42mm Lens

59BCJR-042

- » Field of view 306ft at 1000 yds.
- » Weight 621gr
- » Dimensions 5.0" x 2.0" x 6.3"



21mm

JR-842

✓ 8x Magnification

✓ 42mm Lens

59BCJR-842

- » Field of view 315ft at 1000 yds.
- » Min. Focusing Dist. 20ft
- » Weight 616gr
- » Dimensions 5.0" x 2.0" x 6.3"

*** Warning** – The cases for the "TD Series" devices, contains magnets which can interfere with pacemakers and implantable cardioverter defibrillators (ICD's). Individuals with pacemakers or ICD's **should NOT use this product.**

includes BinoAmour Deluxe carry case, neck strap shoulder harness + lens cloth

SPECS:

- » Prism type: BAK-4
- » Lens coating: Fully Multi Coated

Anti Fog Waterproof

The **VP Series** binoculars are the ideal choice for hunting, birding, hiking or fishing. Full sized binoculars being waterproof & fogproof.



EYE RELIEF

VP025



16.5mm

- ✓ 10 Magnification
- ✓ 25mm Lens

59BCVP025

- » Field of view 273ft at 1000yds
- » Weight: 379 grams
- » Dimensions 5.1" x 2.1" x 5.9"
- » Close focus: 9.8 ft.

VP250



15mm

- ✓ 12x Magnification
- ✓ 50mm Lens

59BCVP250

- » Field of view 273ft at 1000yds
- » Weight: 30.5 oz
- » Dimensions: 6.5" x 2" x 5.5"

VP842



22mm

- ✓ 8x Magnification
- ✓ 42mm Lens

59BCVP842

- » Field of view 393ft @1000yds
- » Weight: 698 grams
- » Dimensions 5.4" x 2.1" x 5.9"

VP832



14.7mm

- ✓ 8x Magnification
- ✓ 32mm Lens

59BCVP832

- » Prism Type BAK-4
- » Fully Coated Lens
- » Dimensions: 5.1 in x 1.8 in x 4.3 in

VP-042

59BCVP042

15mm

- ✓ 10X Magnification
- ✓ 42mm Lens



- » Prism Type BAK-4 Phase Coated
- » Field of view: 330ft at 1000yds
- » Weight: 744 grams
- » Dimensions: 5.1" x 2.1" x 5.9"



CARSON
HIGH DEFINITION



EYE RELIEF

Accessory includes pouch, neck strap, lens cover, lens cloth, eyecups



XM HD SERIES™

- » Prism type: BAK-4
- » Lens coating: Fully Multi Coated

Compact binoculars are a Full-sized Binocular with phase coated prisms to ensure the brightest, sharpest images possible. rubberized armor coating makes this binocular rugged and shock proof. nitrogen purged and O-ring sealed making it waterproof and fogproof. Extra long eye relief with twist down eyecups makes it perfect for eyeglass wearers.

XM832HD



15.5mm

59BCXM832HD

- ✓ 8x Magnification
- ✓ 32mm Lens

- » Field of view: 420ft at 1000yds
- » Minimum Focusing Distance: 9.8ft
- » Weight: 680 gr
- » Dimensions: 5.5" x 4.7" x 1.8"

XM842HD

15.5mm

59BCXM842HD

- ✓ 8x Magnification
- ✓ 42mm Lens

- » Minimum Focusing distance: 13.1ft
- » Field of view: 330ft at 1000yds
- » Weight: 794 grams
- » Dimensions: 4.7" x 6.7" x 2"

OUTLAW™

Mossy Oak® TreeStand® Camouflage

MO-025



10mm

59BCMO-025

- ✓ 10 Magnification
- ✓ 25mm Lens

- » Fully Coated Lens
- » Field of view 302 ft @1000 yds.
- » Dimensions 4.5" x 1.6" x 4.0"

Includes:- Pouch, neck strap and lens cloth Light & Portable Outlaw™ binocular are ideal for hunting, hiking and any outdoor activities.



RD SERIES™

Open-Bridge Compact Waterproof High Definition Binoculars

RD826



16mm

59BCRV-826

- ✓ 8x Magnification
- ✓ 26mm Lens

- » Field of view 356ft @1000 yds
- » Close focus 13.1 Prism type: BAK-4
- » Weight 0.63lbs Multi-Coated Lens
- » Dimensions 4.5" x 1.7" x 4.6"

These compact binoculars boast high quality BAK-4 prisms and multi-coated optics to ensure a crisp, bright image. A durable, waterproof design ensures a clear view. Its compact, light design make it an ideal companion for concerts, sporting events, hiking and any outdoor activity. Store in its hard protective case when not in use.

TRACKER™

TZ821



10mm

59BCTZ-821

- ✓ 8x Magnification
- ✓ 21mm Lens

- » Prism Type: BK-7
- » Fully Coated Lens



Compact 8x21mm Binocular. Has multi-coated lenses. **The Tracker™** binocular has a center focus knob with an independent right diopter to adjust maximum focusing flexibility for all types of vision. These binoculars feature roll-down eyecups for eyeglass wearers.

JD SERIES™ ULTRA COMPACT

JD718



10.5mm

59BCJD718

- ✓ 7x Magnification
- ✓ 18mm Lens

- » Field of view 489 ft. at 1,000yds
- » Dimensions 4.1" x 1.6" x 2.6"
- » Weight 127.5 grams
- » Prism Type: BK-7
- » Fully Coated Lens



ACCESSORIES includes Pouch wrist strap and lens cloth

59BCRV-034 COMPACT RAVEN

- » Prism type: BAK-4
- » Waterproof
- » Lens coating: Multi Coated
- » Field of view: 318ft @1000yds
- » Min. focus distance: 13ft
- » Weight: 425gr
- » Dimensions: 5"x 5"x1.5"

ACCESSORIES Soft pouch, Neck strap & lens cloth



RV034

16mm

- ✓ 10x Magnification
- ✓ 34mm Lens

BINOCULARS

KINGLET™ SERIES COMPACT BINOCULAR

CK821



59BCKB821

✓ 8x Magnification

✓ 21mm Lens



- » Prism Type BK-7
- » Weight 150grams
- » Lens coating Multi-coated
- » Dimensions 4.1" 1.5" 3.7"

CARSON™ **KB**™
(PTY) LTD



ACCESSORIES includes Pouch
wrist strap and lens cloth

A Durable, compact and lightweight Binocular. It features multi-coated lenses and BK-7 prisms, allowing for crystal clear images. These **foldable**, compact binoculars are housed in a rugged exterior. Designed to give you the best outdoor experience in sporting events, hiking and any other outdoor activities, these binoculars are a great portable on-the-go accessory. Includes attached neck strap allowing for safety and accessibility at a moment's notice

SAFARAGE

- ▶ Nitrogen purged and O-ring sealed for water and fog-proof
- ▶ Armor protected Light-weight engineering polymer chassis



Safarage series Binocular are built with fully-multi coating creating high brightness for viewing within an affordable price.

- ▶ Fully-multi Coating (FMC) delivers images at high brightness
- ▶ BaK4 prism with optimized optics offers uncompromising performance at an affordable cost

56BR010832

✓ 8x32

56BR010842

✓ 8x42

Item#		56BR010832	56BR010842
Model		8x32	8x42
Power		8	8
Obj.Lens Dia (mm)		32	42
Prism Material		BaK4	
Exit Pupil Diameter (mm)		4	4.9
Eye-Relief (mm)		13.6	18.2
Field of View	Degree	7.16°	6.44°
	FT/1000YDS	376	338
	M/1000M	125	113
Minimum Focus Distance (M)		3.2	3.5
Interpupillary Distance (mm)		56-74	
Waterproof		1m / 30min	
Nitrogen Filled		Yes	
Unit Dimension (mm)		124x120x46	145x126x52
Unit Weight (g)		458	590



56BR011042 ✓ 10x42

Item#		56BR011042
Model		10x42
Power		10
Obj.Lens Dia (mm)		42
Prism Material		BaK4
Exit Pupil Diameter (mm)		4
Eye-Relief (mm)		13.3
Field of View	Degree	5.8°
	FT/1000YDS	305
	M/1000M	102
Minimum Focus Distance (M)		3.8
Interpupillary Distance (mm)		56-74
Waterproof		1m / 30min
Nitrogen Filled		Yes
Unit Dimension (mm)		141x126x52
Unit Weight (g)		583

- ▶ Fully-multi Coating (FMC) delivers images at high brightness
- ▶ high brightness BaK4 prism with optimized optics offers uncompromising performance at an affordable cost
- ▶ Nitrogen purged and O-ring sealed for water and fog-proof
- ▶ Armor protected Light-weight engineering polymer chassis



BFMC
Broadband Fully Multi-Coated
Lenses deliver maximum brightness
and contrast



FOG-PROOF
Product is vacuum and purged
with pure Nitrogen to avoid fogging
when using in low temperature



BIRDING
Product is designed with high
optical performance that fit for
birding



LANDSCAPING
Product fit for viewing scenic
landscape



HUNTALE

Item#		56BR040832	56BR041042
Model		8x32	10x42
Exit Pupil Dia.		4	4.2
Exit Pupil Dist		18	18
Field of View	Degree	7.9°	6.5°
	FT/1000YDS	415	341
	M/1000M	138	114
Minimum Focus Distance (M)		2	2
Interpupillary Distance (mm)		56-74	
Waterproof		1.5m/30min	
Nitrogen Filled		Yes	
Unit Dimension (mm)		131x119x43	14x126x52
Unit Weight (g)		548	723

 Green



The **NUTREK Huntale series** delivers First Class Performance in low-light hunting conditions such as deep twilight or dawn. The **42mm model** offers a compact, lightweight design perfect for long treks, while the 50mm large-aperture version collects **40% more light**, ensuring **superior brightness and clarity** in challenging conditions. Both are nitrogen-filled, waterproof, and ruggedly built — ideal for outdoor observation, backpacking, and hiking.

1. 56BR040842 2. 56BR041050

SPECIFICATIONS	HUNTALE 8x42	HUNTALE 10x50
Magnification (Power)	8x	10x
Objective Lens Diameter (mm)	42	50
Prism Material	BaK4	BaK4
Exit Pupil Diameter (mm)	4	5
Eye Relief (mm)	13.3	21
Field of View (°)	5.8°	6°
Field of View (ft/1000yds)	305	315
Field of View (m/1000m)	102	105
Minimum Focus Distance (m)	3.8	3
Interpupillary Distance (mm)	56-74	56-74
Waterproof Rating	1m / 30min	1.5m / 30min
Nitrogen Filled	Yes	Yes
Unit Dimensions (mm)	141 × 126 × 52	172 × 137 × 60
Unit Weight (g)	583	898



HUNTING
Product fit for hunting wild games



LANDSCAPING
Product fit for viewing scenic landscape



BFMC
Broadband Fully Multi-Coated Lenses deliver maximum brightness and contrast



EXTRA-LOW DISPERSION GLASS
Adopts Extra-low Dispersion (ED) Glass for objective lenses to deliver crispy sharp image of high colour fidelity



FOG-PROOF
Product is vacuumd and purged with pure Nitrogen to avoid fogging when using in low temperature



BIRDING
Product is designed with high optical performance that fit for birding

Specification	1. Wolfgang 8x42	2. Wolfgang 10x42
Item#	56BR050842	56BR051042
Model	8x42	10x42
Exit Pupil Dia. (mm)	4.9	4
Exit Pupil Distance (Eye Relief, mm)	18.2	13.3
Field of View (Degree)	6.44°	5.2°
Field of View (ft @1000yds)	338	268
Field of View (m @1000m)	113	91
Minimum Focus Distance (m)	3.5	3.8
Interpupillary Distance (mm)	56-74	56-74
Waterproof	1m / 30min	1m / 30min
Nitrogen Filled	Yes	Yes
Unit Dimension (mm)	144×128×52	140×128×52
Unit Weight (g)	646	619



2.



1.



The **NUTREK® Wolfgang** binoculars are perfect entry level Binocular for Young Explorers. Thanks to the fully-multi coating and 42mm large objective lens, it reveals wildlife and blurred structures miles away. Easy to use for outdoor activities such as climbing, hiking, touring, watching wildlife, sporting events, and scenery observation.



1.



2.



BFMC
Broadband Fully Multi-Coated
Lenses deliver maximum brightness
and contrast



FOG-PROOF
Product is vacuumd and purged
with pure Nitrogen to avoid fogging
when using in low temperature



BIRDING
Product is designed with high
optical performance that fit for
birding



LANDSCAPING
Product fit for viewing scenic
landscape

Item#	56RF11B1041800	56RF11B1041800
Distance Measurement Range	5-1800m	5-2000m
Distance Measurement Deviation	±1m	
Distance Measurement Unit	Yard / Meter	
Angle Measurement Range	±60°	
Angle Measurement Deviation	±0.5°	
Field of View	6°	
Magnification	10X	
Objective Diameter	42MM	
Exit Pupil Diameter	4.2MM	
Eye Relief	16MM	
Horizontal Distance	YES	
Height Measure	YES	
Horizontal Distance Measure	YES	
Display	OLED	
Ingress Protection Level	IPX7	
Battery Type	CR2-3V Lithium	



56RF11B1041800
✓ 1800m 10x42

56RF11B1042200
✓ 2200m 10x42



The **Nutrek RF11B** Series combines two essential tools in one – binoculars and a precision rangefinder – making it the ideal companion for outdoor adventures. Multi-layer anti-reflection coatings deliver sharp, high-contrast images, even in challenging lighting conditions. Lightweight at just 990g, it's designed for comfort and durability.

- Rugged magnesium chassis ensures both strength and portability.
- Patented optical system provides extra-bright images with enhanced contrast and detail
- OLED display with red-illuminated icons for easy reading in low light. Rated for extreme temperatures, both high and low.
- Expandable with GPS and electronic compass displays
- Multiple modes: Standard, Rain, Golf, Hunting
- Distance measurement up to 1800m-2200m (depending on model)
- Accurate measurements: ±1 meter/yard, angle ±0.5°
- Perfect for hunting, sniping, golf, sailing, and other outdoor activities



OPTICS OWLER DAY AND NIGHT

Binoculars



Item#	56NVB03DR	56NVB03D
Model	6-36x50LRF	6-36X50
Video Recording	1080P (1920X1080) 60fps	
Video Output Format	PAL/NTSC 3.5mm Port	
Picture (Pixels)	5360 x 3008	
Screen Color	Green, Amber, Black & White	
TF Memory Card (Gb)	128GB (Fat32)	
APP Wireless Connection	View & Share Pic/Video using iOS / Android APP	
Measuring Distance	10 m ~ 700 m	
Measuring Accuracy	<400m (±1m); >400m (±0.4%)	
Angle Measurement Range	± 60°	
Laser Type	905nm (Class 1 Eye Safe Laser)	
Magnification (X)	6 - 36 Times	
Objective Diameter (mm)	50 mm/F1.0	
Angular FOV (Degrees)	10°	
Diopter Adjustment	±5	
Eyepiece Distance	Adjustable 60-71mm	
Electronic Image Stabilizer	YES	
Display Size (Diagonal)	7200 Micro Display (1280 X 720)	
Visual Range (1/4 Moon, IR On) (m)	0.8 ~ 600m	
Visual Range (Full Moon) (m)	0.8 ~ 1000m	
Battery Life (IR Off 20°C) Hours	4.5 Hours	5 Hours
Dimensions (L*W*H) mm	190 x 126 x 76	
Weight (without batteries) kgs	0.98kg	0.95kg



56NVB03D

· Uses CR2 Batteries
not included

56NVB03DR

✓ Built in Infrared Light



NUTREK

NIGHT VISION



NUTREK OWLER II Night Vision Binoculars with Laser Rangefinder empower your vision with a clear view in the dark. Used for Detecting hidden objects, Security, Surveillance, Wildlife observation, such as bird watching etc. Hunting, Law enforcement, Military, Entertainment

OPTICS Binoculars TORERO HD

APPLICATION

Tourism
Vocal concert
Hunting

Observation of plants
Watch a ball game
Outdoor sports



59BNRRWB4 ■ 10x42

59BNRRWB3 ■ 8x42

Redwin Torero HD 8x42 Binoculars IPX6/7
Waterproof Compact 8 Lens FMC Wild Field
View Outstanding Color Fidelity for Hunting

FEATURES

- HD Optical System
- 8 Pieces Lens in 6 Group
- Optimized with select glass elements
- Fully Multi Coating
- Coating Spec. 420nm-680nm
< 0.5%(AVG)
- Wide Field of View
- Outstanding color fidelity
- Edge to edge sharpness
- Adapt to Tripod

SPECIFICATIONS

Magnification: 8x

Material: Body - PPS ; Armor - NBR+PVC

Color: Black

Objective Lens: 42mm

Ocular lens: 21mm +/- 1mm

Exit pupil diameter: 5.1mm +/- 10%

Exit pupil distance: 17mm

Field of View : 7.2°

Field of View ft@ 1,000Yds: 378ft

Field of View m@ 1,000m: 126m

Near Focus: 3m

Diopter system: Right diopter ring

Interpupillary distance: 56mm~74mm

Focusing system: Center focus

Focusing lens: Eye

Diopter compensation: -4 ~ +4

Focusing adjustment: -4 ~ +8

Prism system: roof prism

Type of Prism: Bak4

Objective lens: 4E3G (4 pieces 3 groups)

Ocular lens: 4E3G (4 pieces 3 groups)



LENS TYPE: Spherical Lens

LENS COATING condition: FMC

LENS COATING specification: 420-680nm, Reflective < 0.5%(AVG)

Prism coating condition: FMC + Phase coating + Silver coating

IP Standard: IPX6/7

Shockproof: yes

Fog Proof: yes

Gas Filled: Nitrogen

Eye cup type: Twist up

Eye cup material: NBR

Eye caps material: NBR+PVC

Objective cover material: NBR+PVC

Adapt to tripod: yes

Length: 5.4 in (137mm)

Net Weight: 368g (13 oz).



59BNRRWB2

10x42

Red Win Rome 8x42 Binoculars Roof Prism 8 Lens
FMC Wild Field View Sharp Image Long Eye Relief
Shockproof Waterproof for Hunting

FEATURES

- Selected glass elements
- Fully Multi Coating
- Wide Field of View
- Edge to edge sharpness
- Long Eye Relief: 17.2mm

SPECIFICATIONS

Magnification	: 8x
Objective Lens	: 42mm
Type of Prism	: Bak4
Number of Lens	: 8 pieces 6 groups
Lens Coating	: Full Multi Coated
Focus System	: Centre
Focus lens	: Internal
Exist Pupil Diameter	: 5.2mm
Eye Relief	: 17.2mm
Field of View	: 6.3°
Field of View ft@ 1,000Yds:	331ft
Field of View m@ 1,000m:	110m
Mini Focal Length	: 2m / 6.56 ft
Relative Brightness	: 27.4
Twilight Index	: 18.3
Diopter System	: Right Eyepieces
Diopter Compensation:	+/- 5
Interpupillary Distance:	56mm ~74mm
Eyecup System	: Twist-up
IP Standard	: IPX4
Shockproof	: Yes
Fog Proof	: No
Adapt to tripod	: Yes
Length	: 6.14 in (156mm)
Weight	: 323g (11.4 oz).



APPLICATION

Tourism
Vocal concert
Hunting
Observation of plants
Watch a ball game
Outdoor sports



OPTICS 1 Section

- >> Laser bore sights
- >> Scope leveller, compass
- >> Red dot sights
- >> Reflex sights and plates
- >> Scopes and scope mounts, lasers, rings
- >> Rail risers, crossbow scopes
- >> Night vision
- >> Range finders
- >> Spotting scopes
- >> Binoculars

OPTICS 2 Section

>> Magnifiers

Gripz®

Hands Free

..... Clip & Flip

..... Visors

..... Magnifier

Handheld Magnifiers

Loupes

Linentest

LED Magnifiers

Pen & Pocket Microscopes

Page/View Magnifiers

Microscope & Telescopes

Digital Microscopes

Binocular HookUpz for "Cellphones"

Cleaning

Tripods



01
black-ash
*excl. glasses



09
midnight-storm



02
think pink



08
canyon trail



06
surf blue

The patented **Gripz®** eyewear retainers are engineered from high-grade braided silicone that stands up to the elements as well as being durable and tough against torture. Put a **Gripz®** on expensive eye-wear. Whether you're biking, fishing, rafting or participating in any other outdoor or hobby activity they will keep your valued glasses secure and with you at all times.

Available in Black Ash - 01; Midnight Storm 09; Think Pink - 02; Canyon Trail - 08; Surf Blue 06

59GSCER2001/2/6/8/9

Gripz® Standard

Weight : 0.3 oz

Dimensions : 0.2" x 0.2" x 20.1"

59MGCVM10

VISORMAG™

The **VM-10** is a set of **CLIP-ON FLIP-UP** magnifying lenses that attach easily to the brim of most caps or hats. Perfect for fly-tying and other precision tasks, its crystal-clear acrylic lenses deliver a sharp, distortion-free view. Includes a soft protective pouch for storage — keep it in your tackle box so it's always ready.

Specs: Magnification 1.75x (+3.00 diopter)

Weight: 0.05 lbs | Size 4.7" x 2.7" x 2.8"

incl. Protective pouch



Clip & Flip™

59MGCOD12

■ **OD-12** | 0.04 lbs
4.7" x 1.5" x 2.4"

59MGCOD14

■ **OD-14** | 0.05 lbs
4.7" x 2.15" x 2.4"

Hands-Free, Easy-to-use
Clips for precision tasks.
OD-12: 1.75x (+3.00 diopters)
OD-14: 2x (+4.00 diopters)
Lightweight, durable, and perfect for outdoors or detailed work.



magnification:-

59MGCOD88


4.5x Fish 'n Grip™



OD-88 | 0.1 lbs
4" x 1.4" x 0.8"

Objective Lens Dia. 30mm (1.2")
Incl. Protective Pouch

A serious tool for serious fly fishermen. Combines a powerful reverse-action tweezer with a 4.5x LED lighted magnifier for precision when tying flies, threading hooks, or making repairs. Includes a magnetic hook threader, hook cleaner, and a weatherproof PVC pouch. Compact enough to fit in your pocket, tackle box, or hang from your vest.



Batteries x3 G3 *included. replacement options G3, SG3, 392

magnification:-

2.5x MAGNILook™

LK-30 | 18 lbs
5" x 3.1" x 0.6"

Magnification 2.5x / 4.51.2"
Obj. Lens Dia. 70mm (2.75")
incl. 3x SR41 batteries & neck strap

Lighted 2.5x acrylic lens with 4.5x spot magnifier and twin ultra-bright LEDs. Features an adjustable neck strap for hands-free use or handheld convenience. Perfect for crafts, hobbies, and everyday tasks — always within reach when worn around your neck.



magnification:-

2x/4x

LC-15 | 5.6 oz
5.3" x 0.9" x 8.9"

59MGCLC15

LENS Dia. 110mm (4.5")

includes neck strap

4.3" acrylic lens provides a large viewing area with minimal neck strain. Equipped with bright dual-LEDs for easy viewing in low light. Wide bridge and adjustable neck strap allow hands-free use at any angle. Perfect for crafting, industrial inspection, or for readers who want a hands-free solution.



Enjoy hours of comfortable, precise work or reading—see every detail with ease!

SPLITHandle™

magnification:-

59MGCHF11

3.5 bi focal

■ **HF-11** | 0.3lbs
9.8" x 4.5" x 0.8"



2x Crystal Clear Acrylic LENS

HF-11 SplitHandle™ Magnifier

Handheld or hands-free with included neck strap. Features a 2x crystal-clear acrylic lens with 3.5x bifocal spot lens and super-bright LED lights. Ideal for reading, sewing, crafts, Hobbies, and everyday use.

2 x AAA Not Included

SUREGRIP™

magnification:-

59MGCSG10

2x/11.5x

■ **SG-10** | 6.0oz
3.8" x 0.8" x 8.5"

**LENS Dia.
90mm (3.5")**



SureGrip™ Magnifier Features a 2x glass lens and an 11.5x high-power acrylic spot lens for precise close-up inspection. The 90–130mm (3.5–5") glass lens is durable and scratch-resistant, while the spot lens is conveniently built into the rubberized handle. Comes with a soft-padded, zippered case for protection and easy storage. Perfect for inspection, hobbies and detailed work.

MAGNIVIEW™

59MGCD S36

✓ **90mm (3.5") Lens**
magnification:-

■ **DS-36** | 0.17lbs
3.8" x 0.5" x 7.7"

Handheld magnifier.
2x to 4.5x bifocal lens
Lightweight design
perfect for extended
reading times or for those with limited strength.
crystal-clear acrylic primary lens for seamless
focusing transitions. Protected by a full rim.

CRYSTALView™

59MGCCV40

magnification:-

5x Spot Lens

✓ **3.5x/5x Spot
Magnification**

An **Aspheric**
lens minimizes
distortion giving
you a crisp, clear view.
Perfect for reading
fine print

■ **CV-40** | 0.18lbs
8.0" x 2.75" x 1.0"

RIMFREE™ ■ **RM-77** | 0.36lbs
4.0" × 0.9" × 9.4"

59MGCRM77

- ✓ 2X Magnification
- ✓ 120mm (4.7") x 70mm (2.7") Lens

RimFREE™ Retangle Lighted Magnifier

Handheld 4.7" × 2.7" rimless, acrylic magnifying lens provides a Crystal-Clear, distortion-free viewing area that reduces eye strain during extended reading. The ergonomic, soft-grip handle ensures a natural, comfortable hold, while the side-mounted switch controls a built-in LED light for easy illumination in low-light conditions. Its wide, rectangular lens is specially designed for line-by-line reading of books, recipes, or periodicals. Ideal for everyday use or for anyone needing a reliable magnifying aid.

Batteries incl. 3 - 1.5v button cell.
Replacement options 389, 390, G10, SG-10, SR1130



includes microfibre pouch to keep magnifier clean & protected between use.

**Check stock prior to ordering*

59MGCRM95

- ✓ 2X Magnification
- ✓ 90mm (3.5")

■ **RM-95** | 3.9oz
3.5" × 3.4" × 0.9"
RIMFREE™

Lighted RIMHAND™ handheld magnifier features a lightweight, ergonomic design for comfortable extended use. Its built-in LED and 90mm (3.5") RimFree™ acrylic lens provide sharp, distortion-free viewing. This patented 2x magnifier | one of the U.S. best-sellers for over a decade | incl. three 1.5V batteries and a protective case.



Batteries incl. 3 - 1.5v button cell. Replacement options 389, 390, G10, SG-10, SR1130

59MGCFH25

- ✓ 2.5x/5.5x Magnification
- ✓ 90mm (3.5")

■ **FH-25** | 3.8oz
3.8" × 3.7" × 8.7"
FREEHAND™

FREEHAND™ Lighted magnifier converts easily from handheld to hands-free use with its folding handle. The 2.5x lens includes a built-in 5.5x spot magnifier and adjustable viewing angles. Weighing just 4 oz, it's ideal for home, office, or field use perfect for threading needles, removing splinters, or tying fishing flies



USES 2 x AA Batteries *not included



59MGCP055

PO-55 | 0.11lbs
2.0" x 0.6" x 4.5"

- ✓ 36mm (1.4") x 40mm (1.5") Lens
- ✓ 5X Magnification

MINI POCKET MAGNIFIER

LED Lighted slide-out

Aspheric Magnifier with

Protective Sleeve. Crystal Clear

Aspheric Lens. Compact & Lightweight

Uses 3x AAA Batteries *excluded.

LUMIPOP™

PO-66 | 0.12lbs
2.0" x 0.6" x 6.2"



59MGCLP66

- ✓ 35mm (1.3") x 40mm (1.5") Obj. Lens
- ✓ 5X Magnification

POCKET MAGNIFIER is a Compact 5x Power Slide-Out with "Snap-Out" plastic case. Boasts Crystal Clear acrylic Lens. **Aspheric lenses** Provide clear images with no blurring and little to no distortion. Perfect for reading in lowlight. Convenient On-Off switch that powers a SUPER BRIGHT LED Light. Small enough to fit in your back pocket.

59MGCVP01

VP-01 | 0.2lbs

MAGNIFICATION

- ✓ 3X, 2.5X, 3/6X



VALUEPAK VP-01 offers an assortment of three compact magnifiers that are perfect for virtually any use. This assortment features 3x Power handheld magnifier with 6x power bi-focal spot lens, a 3X power Flip-Open magnifier with a built-in folding case and a 2.5X Credit Card Sized Fresnel Magnifier with a slide-out protective case.

These magnifiers can be used for an assortment of needs such as hobbies, crafts and everyday use.

59MGCGN33

■ **GN-33** | 0.5lbs
2.0" x 2.0" x 0.5"

✓ **3x Magnification**

✓ **40mm (1.5") LENS**

The **GN-33** Compact 3x power flip-open magnifier with a built-in folding case. It's perfect for carrying in your pocket or purse... to use every day!

The **MAGNIFLIP™**

Magnifier can be used

for everything from reading labels at the grocery store to reading a map on the road.



59MGCLD33

LUMIDOME™

■ **LD-33** | 0.18lbs
2.0" x 2.2" x 1.5"

Shatterproof acrylic construction with 2x pre-focused lens and 2.0 inch viewing area. Great for viewing coins, stamps, miniatures or for magnifying reading material. Includes a microfiber pouch for protected storage.



59MGCCP32

MAGNIFLASH™

■ **CP-32** | 2.4oz
5.3" x 2.4" x 1.0"

✓ **9x Magnification**

✓ **38mm (1.5") Lens**



The MAGNIFLASH magnifier is part of the "PRO" Series by Carsons. It is an Aspheric LED Lighted Magnifier and Flashlight Combination. Aspheric Lenses provide a clear image with no obblurring and little to no distortion. Accessories incl. Neck Strap & Case. Uses 3x AAA Batteries exluded.



Model	Magnification	Weight	Dimensions	Features
LL-10	10x	0.9 lbs	2.0" x 2.0" x 1.9"	Pre-focused dual lenses; transparent acrylic base for bright, clear viewing; ideal for fine detail work
LL-20	10x	0.09 lbs	2.0" x 2.0" x 1.9"	Dual lenses; transparent acrylic base; snap-on reticle for accurate measurements in mm & inches
LL-55	4.5x	0.6 lbs	4.2" x 4.2" x 3.0"	Dual lenses; transparent glass base; perfect for insects, plants, maps, and graphics
LL-77	7x	4.2 oz / 119 g	3.0" x 3.0" x 2.4"	Dual lenses; transparent glass base; ideal for insects, plants, maps, and graphics

59MGCLL10

MAGNIFICATION

✓ 10x

■ LL-10 | 0.9lbs

2.0" x 2.0" x 1.9"



59MGCLL20

MAGNIFICATION

✓ 10x

■ LL-20 | 0.9lbs

2.0" x 2.0" x 1.9"



59MGCLL55

MAGNIFICATION

✓ 4.5x

■ LL-55 | 0.6lbs

4.2" x 4.2" x 3.0"




59MGCLL77

■ LL-77 | 119gr.

3.0" x 3.0" x 2.4"

MAGNIFICATION

✓ 7x



LINENTEST™

METAL LINEN TEST MAGNIFIER

MAGNIFICATION: ✓ 6.5x 20mm (1" Lens)

59MGCLT20

■ LL-10 | 113grams

1.2" x 1.8" x 1.7"

59MGCLT60

■ LL-10 | 42grams

1.6" x 1.1" x 1.6"





59MGCLL88

■ **LL-88** | 0.35lbs
5.5" x 3.6" x 1.4"

MAGNIFICATION

✓ 5x

LUMILOUPE™ ULTRA Magnifier

5X Power Loupe Magnifier with 6 Ultra Bright LED Lights with 3 Brightness levels. Choose the LUMILOUPE™ Ultra magnifier for detailed inspection, view stamps and coins or reading fine print.



59MGCDV30 DUALVIEW™ LOUPE Magnifier

3x power stand loupe with a 12x focusing loupe. This dual-purpose magnifier gives you both high & low magnification in one tool. One loupe is focusable while the other is pre-focused, making it perfect for all hobbies, crafts, and detailed work.



59MCMM280-G

MICROMINI™ POCKET Magnifier

■ **DV-30** | 0.05lbs. MAGNIFICATION
1.5" x 0.9" x 1.7" ✓ 2x

20x LED Lighted Pocket Microscope – compact, portable, and ready to explore anywhere! Fits in the palm of your hand and clips onto a handbag or backpack with the included keychain. Examine fabric, flowers, foliage, printing pixels, and even hidden details in currency using the built-in LED and UV lights.

59MGCHM30 HOBBY Magnifier

MAGNIFICATION:

✓ 2x, 2x/2.5x, 3.5x

LENS:-

✓ 110mm (4.3") 90mm (3.5") 130mm (5")

Includes a versatile LED lighted base with clip-on stand and multiple interchangeable lenses:

- 2x 110mm rimless round acrylic lenses
- 2x acrylic Fresnel lenses with 2.5x spot lens
- 3.5x dual acrylic lens

The adjustable neck strap allows hands-free use, or use the base for a free-standing magnifier.

Crystal-clear lenses and two super-bright LEDs deliver a bright, crisp image. Press the release button to swap lenses, or remove a lens to use the base as a booklight. Perfect for all hobbies, crafts, and detailed work.

■ **HM-30** | 209.7grams
Dimensions: 4.2"x 1.4"x 8.0"



Requires

▷ 3x AAA batteries (not included).

59MGDM21

DM-21 Deluxe
PAGEMAGNIFIER™



2x DELUXE RIGID FRAME "FULL-PAGE" MAGNIFIER.
Shatterproof. 2x Power Crystal-Clear Acrylic Lens.
Perfect for reading Small Print

✓ **2x** Magnification

Weight
0.27 lbs
Dimensions
8.4" x 0.1" x 11.0"



CARSON™



PAGEGLOW™
PG10
59LCPG10

Weight : 0.28 lbs ✓ 2x Magnification
Dimensions : 5.3" x 0.1" x 6.3"

THE PAGEGLOW™ LED Booklight —
Compact, portable, and ultra-bright.
Features an ergonomic thumb groove and...

with a 3-stage dimmer for your
ideal brightness—perfect for
reading comfortably
without disturbing others!
Uses 3 × AAA batteries.

... Detachable page clip for easy placement.
Three super-bright LEDs provide even lighting



CARSON™



59MCMP300

MICROPEN™

MP-300 | 0.04lbs
0.5"x 0.7"x 5.2"

✓ **24-53x magnification**
Microscope Pen

Pocket sized 24-53x microscope pen. Lightweight and portable, this miniature microscope is ideal for industrial use or for sparking curiosity in children of all ages. Whether examining tiny insects, checking hair follicles, or exploring carpet fibers, the **MicroPen™** turns any home, yard, or classroom into a world of discovery. It can be placed directly on the object for added stability and easy focusing. Perfect for eager young explorers. The built-in LED light delivers a crystal-clear image with simple focus and zoom adjustments.

Requires

▷ 3x G3 Batteries. excl.



59MGCLV10

LUMIVISOR™

■ **LV-10** | 0.41 lbs
7.6" x 3.2" x 10.4"

The **LV-10** Visor is a hands free, head-worn magnifier, comes with a fully adjustable one size fits all head strap. The **LED light** is fully adjustable so you can shine light wherever it is needed. 4 different powers of 2x, 3x, 5x and 6x. Perfect for all hobbies, crafts, repairs and reading!



✓ **2x, 3x, 5x, 6x** Magnification

▷ Uses 3 x AAA Batteries *not included.

59MGCMV23

MAGNIVISOR™

■ **VM-23** | 0.25 lbs
6.5" x 2.2" x 7.1"

✓ **2x/x** Magnification

The **VM-23** 2x magnifier with a 3x flip-down lens Hands free, head-worn visor. It comes

with an adjustable headband. Perfect for all hobbies and

crafts in aid of low vision or visibility



▷ Uses 2 x AA Batteries *not included.



59LCFL55

FLEXNECK™

■ **FL-55** | 0.1 lbs
1.5" x 1.7" x 6.0" **LED Booklight**



Fully adjustable lamp-head that can flex and turn to shine light right where you need it! The Booklight clips to any size book or magazine, and can be used for convenient table-top illumination.

59LCF9002

LUMIFLEX™



■ **FL-90** | 0.1 lbs
11.8" x 2.3" x 1.3"



The FL-90 LumiFlex™ Compact, ultra-bright Mini LED Booklight Fully adjustable lamp-head that can flex and turns to shine light right where you need it! The Booklight clips to any size book or magazine and has a convenient Built-in storage clip. ▶ Uses 2 x CR2032 *included

59LCBB22

BOOKBRITE™

■ **BB-22** | 0.11 lbs
4.0" x 1.8" x 0.8"



The BB-22 BookBrite™ Booklight is a compact, ultra-bright LED Booklight. Fully-adjustable lamp head equipped with three super-bright LED lights, that auto-extends and swivels to put Light right where you need it! The Booklight clips to any size book or magazine, and can be used for convenient table-top illumination.

▶ Uses 3 x AAA *excl.

59MGCGN88

HELPINGHANDS Magnifier™

■ **GN-88** | 0.52 lbs
5.9" x 5.7" x 8.0"

- ✓ **2x** Magnification
- ✓ 110mm (4.3")

HelpingHands Magnifier™ is a handheld or handsfree, fully adjustable soldering and craft Magnifier. It boasts dual built-in LED lights that lets you see all the details. Its large acrylic 2x power lens provides sharp, crystal-clear images. The fully adjustable clamps holds items and almost any necessary angle. Helping Hands Magnifiers, Features a rim-free design so your view is not obstructed. Ideal for hobbies, model building and small electronics.



▷ Uses 2 x AA *excl.

Magnification

- ✓ **2x/.35x**
- ✓ 110mm (4.3")

59MGCGN55

MAGNILAMP™


■ **GN-55** | 0.41 lbs
5.9" x 7.1" x 7.4"

The GN-55 **MAGNILAMP™** can be used as a handheld or fully adjustable Stand Magnifier with built-in LED light that lets you see all the details. Its large acrylic 2x power main lens and 3.5x power spot lens provide sharp, crystal-clear images.



▷ Uses 2 x AA *excl.

Accessories: Base stand



ATTACH-A-MAG™

59MGCAM20

■ **AM-20** | 0.36 lbs
4.3" x 3.0" x 12.0"

- ✓ 2x Magnification
- ✓ 90mm (4.3")

LED Hands free Magnifier, fully adjustable, LED lighted magnifier with a clamp-on base that attaches to most tabletops. large 2x power acrylic lens provides sharp crystal-clear images.



▷ Uses 3 x Button Batteries *incl.
Optional replacements 386, G12, SG12

59LCBB22■ **MM-940** | 0.31 lbs
3.1" x 3.1" x 5.1"**zPIX™** Magnification✓ **86x-457x** (21" Monitor)

✓ 110mm (4.3")



THE **zPIX 300** USB Microscope Displays a 2MP image on your PC/Screen. Capture images & Video. Use the base for slides or remove for surface viewing.
ACCESSORIES: Specimen Base / 3 Blank Slides
 1 Prepared Slide / Forceps
 Eyedropper / USB Cable

MicroFLIP™Pocket
Microscope**59MCMP250****MicroBRITE™****59MCMMM24**■ **MM-24** | 0.12 lbs
2.1" x 1.2" x 4.0"✓ **20x-40x** Magnification✓ **KIDS**▷ Uses 3 x LR-44
Button Cell Batteries

The MicroBrite™ is a compact 20x-40x zoom pocket microscope with a super-bright LED for clear, detailed viewing. Place it directly on any object for instant magnification, or use the included base to view specimen slides. Its small, portable design makes it perfect for on-the-go exploration. Comes with 2 slides, and base stand.

■ **MP-250** | 0.81 lbs
1.5" x 1.0" x 5.5"

LED Lighted Pocket MiniScope with Flip-Down slide base & Asphenac lens. Includes Smartphone digiscoping clip and UV Flashlight **ACCESSORIES:**

Smartphone Clip / Starter Slide with Cover Slip
 Wrist Strap / 1 x AA Battery *Not Included.

59MCMM740 **zPIX™**✓ **60-75x** LED Lighted Zoom Magnification


✓ 1.3 MegaPixel Resolution Digital Camera

■ **MM-740** | 8.8 oz
4.12" x 1.75" x 4.68"

Powerful Zoom Digital Microscope with 1.3MP camera. Capture images & close-focus video.

ACCESSORIES:
 Smartphone Clip /
 Starter Slide with

Cover Slip / Wrist Strap / 1 x AA Battery *Not Included.



59AIB700

■ **IB-700** | 0.18 lbs
4.0" x 1.9" x 4.4"

HOOKUpz™ Universal Fit Smartphone Binocular Adapter

The IB-700 HookUpz™ Adapter connects your smartphone to full-sized binoculars (32mm–50mm). It includes two interchangeable rubber rings to fit eyepiece housings between 40–44mm. The adjustable design works with most popular smartphones:- Apple, Samsung, HTC, LG, and more.. and usually requires no removal of your phone case.



59AIS200

HOOKUpz™

Universal Adaptor

■ **IB-700** | 0.18 lbs
4.0" x 1.9" x 4.4"

The IAS200 Universal Adapter connects almost any smartphone to optical devices in seconds. It works with binoculars, spotting scopes, telescopes, microscopes, night vision, borescopes, and slit lamps. Fits most smartphones with or without a case, and supports extended use even with charging cases attached. (Not compatible with tablets, Galaxy Note models, iPhone 6 Plus/6S, Lumia 920, or rifle scopes.)

It features a self-centering clamp for quick alignment across a wide range of optic diameters (20–58mm). Lightweight and portable, it makes digiscoping easy—capture and share photos or videos effortlessly in the field.



59BCCS50

CS-50 C6® Screen Cleaner

FOR TABLETS & SMARTPHONES

Safe & Easy to use on Screens

Alcohol & Anomia Free

2 Per Pack

59BCCS60

CS-60 C6® JUMBO SIZE

SCREEN CLEANER for
Tablets, & Smart
Phones etc.

59BCCS40

CS-40 C6® LENS CLEANER

JUMBO LENS CLEANER

Weight: 0.6oz.

Dimensions

3.25"

x1" x 0.6"

Perfect cleaning for Smart Phone, Tablets etc.

Dispose of when pad is exhausted. easy to use.

59BCCS30

CS-30 C6®

Disposable screen cleaners.
pack of 16

59BCCS15



59BCCS80

CS-80 C6®

Disposable Jumbo
screen cleaners.
pack of 14.

■ **CS-15** | 0.02 lbs
3.8" x 0.5" x 0.6"

CS-15 C6® LENS CLEANER

PEN CONTAINS dry Nano-Particle Cleaning Formula that easily cleans stains dirt and fingerprints. Soft tip is specifically designed to clean the lenses of cameras, without mirrors. Retractable Brush to remove dust and Debris. Compact and Smooth Design




MICROFIBRE CLOTH

59BCCMF-11(06)

Double-Sided Cleaning Cloths (7" x 7")
Oversized and double-sided, with a microfiber side for cleaning and a silk side for polishing. Safe for all lenses and glass surfaces — eyeglasses, cameras, binoculars, smartphones, and more. Available in blue, grey, or orange. Gently removes dirt, fingerprints, smudges, and oils without scratching.

■ **MF-11(06)**
IN COLORS: OF
GREY, BLUE AND
ORANGE



CLEANING CLOTH

59BCCMF11-05

59BCCMF11-02



59BCCMF11-03



■ **MF-11**
DOUBLE SIDED
CLEANING
CLOTH
Dimensions
7" x 7" x 0.001"

Oversized 7" x 7" Double-Sided Cleaning Cloths
These premium cloths feature a microfiber side for cleaning and a silk side for polishing, offering an ultra-luxurious feel. Available in fun, vibrant designs, they are perfect for all lenses and glass surfaces eyeglasses, sunglasses, cameras, binoculars, smartphones, and more. Effectively and safely removes dirt, fingerprints, smudges, and oils without scratching.



■ **SN-50**

59BCSN50BU

■ BLUE

59BCSN50RE

■ RED

59BCSN50MO

■ CAMO

Microfiber Lens Cloth with Protective Pouch
Super-soft microfiber cloth housed in a convenient protective pouch. Simply pull out the cloth to clean, retract the drawstring, and tuck the remaining cloth back into the pouch. Perfect for binoculars, spotting scopes, telescopes, camera lenses, GPS devices, eyeglasses, and more. Safe for all lenses — will not scratch or damage surfaces. Available in Blue, Red, Black, or Mossy Oak.

STUFFIT™