

CATALOGUE KILLER BRANDS 2025

 Daisy

 KWC®

 SNIPER
AFRILEO



 ARTEMIS®
AIRGUN AND ACCESSORIES

 WINCHESTER
AIR RIFLES



Air Rifles
and PCP



 KILLER Brands (PTY) LTD



KILLERBRANDS CATALOGUE

For more information visit us at WWW.KILLERBRANDS.CO.ZA

2025

RIFLES INDEX

RIFLE RANGE USES A
HORIZONTAL LAYOUT



MAXTACT *SELF DEFENSE*
PAINTBALL SEMI AUTO

TGR SERIES 37-38

Daisy Air Rifles

Pg

TARGETS 39

JUNIOR 39-41

AIR RIFLES 42-44

SNIPER **SNIPER**
ELLET GUNS

Pg

AIR RIFLES 45-48



ARTEMIS

ARTEMIS 49-53

SNOWPEAK 54-58

PCP 59-71

ARTEMIS and SNOWPEAK

Air Rifles & PCP



ARTEMIS



KILLA





66MARMTTGR1

- ✓ SELF DEFENSE
- ✓ Paint Ball Semi Auto

TGR-ONE
PROJECT SERIES

Caliber	0.68 (17mm) and Fin. Stabilized Round Ready
Action	Semi Automatic Open Bolt Blowback
Fire Selector Magazine Release	Ambidextrous
Rail	8" Quad RIS
Propellant	HAP, CO2, Nitrogen
Working Pressure	800PSI +
Gas Efficiency	HPA 13ci = approx. 180 +
Ball Feed	Spring Loaded Magazine Fed

STANDARD BARREL

LENGTH.....	9.4" { 24cm }
BARREL TYPE.....	Smooth Bore - 0.69"
TOTAL LENGTH	Without Tank & Stock - 55cm
EFFECTIVE RANGE	Standard 0.68 Paintball 3.2g - 45m/147ft FS Round - 70m/230ft
WEIGHT.....	Without Tank & Stock - 2.0 KG / 4.4 lb
VELOCITY	Up to 260 ~ 320 FPS



- ✓ SELF DEFENSE
- ✓ Paint Ball Semi Auto

MXT TGR2 ATS
Paintball Semi-Auto
66MARMTTGR2MK2



- ✓ SELF DEFENSE
- ✓ Paint Ball Semi Auto

KEYMOD - ATS
MXT TGR2 CQB
Paintball Semi-Auto
66MARMTTGR2CQB

MAXTACT

TGR-2
TGR2 SERIES

Caliber	0.68 (17mm) and Fin. Stabilized Round Ready
Action	Semi Automatic Open Bolt Blowback
Fire Selector Magazine Release	Ambidextrous
Rail	8" Quad RIS
Propellant	HAP, CO2, Nitrogen
Working Pressure	800PSI +
Gas Efficiency	HPA 13ci = approx. 180 +
Ball Feed	Spring Loaded Magazine Fed

STANDARD BARREL

LENGTH	9.4" (24cm)
BARREL TYPE	Smooth Bore - 0.69"
TOTAL LENGTH	Without Tank & Stock 54cm
EFFECTIVE RANGE	Standard 0.68 Paintball 3.2g - 45m/147ft (FS Round) 70m/230ft
WEIGHT	Without Tank & Stock 1.9 KG / 4.2 lb
VELOCITY	Up to 260 ~ 320 FPS



60RD0025-403	PELLET CAL.	WEIGHT	BARREL LENGTH	MAX. VELOCITY	MAX SHOOTING DISTANCE	CAPACITY
	4.5mm (.177")	3 lbs	36.5"	350 FPS	195 yards	50 Shot

HIGH VELOCITY UNDER 350 FPS
10+ For Ages 10 and Older
With Adult Supervision

Daisy Model 25 Pump BB Gun. Created by legendary Daisy designer, Charles Lefever. Introduced in 1914, the Model 25 helped make Daisy air guns a cherished Christmas gift, found under trees nationwide for decades.. Daisy's original pump BB gun design returns. Modern 25 Model shares many original features. Solid Wood Pistol Grip Stock and Fore end. Durable steel construction. 177 Calibre, take-down screw. removeable screw-in-50 shot tube. Fully adjustable Flip-up peep or open rear sights. Lightweight at 3.1 lbs gun measures 37" long/width.

MODEL 74

60RD0074-403

PELLET CAL.	WEIGHT	LENGTH	VELOCITY	CAPACITY
4.5mm (.177")	1.98 lbs / 898kg	35.5" (90.1cm)	350 fps	15 Shot *200 rnd res.



HIGH VELOCITY UNDER 350 FPS
10+ For Ages 10 and Older
With Adult Supervision

Sights : Blade & ramp front/fixed open rear
Safety : Crossbolt trigger block
Capacity : 15 shot-magazine, 200-round reserve



Max Shooting Dist. : 211 yards (193m)
Stock/Forearm : Black composite
Action : CO₂ powered semi-automatic
Barrel : Smooth bore steel



FOR AGES 10 YEARS OR OLDER
AIRGUNS ARE RECOMMENDED FOR USE BY THOSE 10 YEARS
OR OLDER UNDER ADULT SUPERVISION.



60RD2840-703
2840 CAMO AIR RIFLE WITH SCOPE

4X15 SCOPE



Dual 4.5 Ammo Pellets + BB's
Max. Shooting. Dist. : 211 Yards
Action : Single Pump Pneumatic
Power : Spring
Rail : Standard.
Barrel : Smooth Bore Steel
Sights : Blade & Ramp front/adjustable rear

BB CAL.	WEIGHT	LENGTH	VELOCITY
4.5mm (.177")	3.1lbs	35.4"	350 fps



AMMO
BB



Ammo : 4.5 BB's
Max. Shooting. Dist.: 195 Yards
ACTION : Lever-cocking, spring air
BARREL : Smooth bore steel
SIGHTS : Fiber optic front sight
: Adjustable rear
STOCK/FOREARM : All-weather synthetic

60RD1999-603

1999 CAMO LEVER ACTION CARBINE

**FIBER OPTIC
SIGHT**

BB CAL.	WEIGHT	LENGTH	VELOCITY	CAPACITY
4.5mm (.177")	2.2 lbs	35.4"	350 fps	650 shot

Lever Action

Carbine

AMMO
BB



60RD1999-503

1999 PINK LEVER ACTION CARBINE

**FEATURING
LOOP LEVER**

HIGH VELOCITY UNDER 350 FPS
10+ For Ages 10 and Older
With Adult Supervision



60RD1938-603

1938 RED RYDER®

Daisy Red Ryder Model 1938B:
The Daisy Red Ryder BB Gun has been an
All-time favorite BB gun for generations.
The Red Ryder BB Gun is the classic lever action.



CALIBRE	:	4.5mm BBs
VELOCITY	:	350 fps
ACTION	:	LEVER-ACTION
POWER	:	SPRING
BARREL	:	Smooth Bore Steel
SIGHTS	:	BLADE & RAMP Front / Adjustable Rear
SAFETY	:	Crossbolt Trigger Block
STOCK	:	Engraved Hardwood
Max. Dist.	:	178 meters [195 Yrds]

LENGTH	WEIGHT
89.92CM	1kg

60RD2105-603
MODEL 105 BUCK™



Stock/Forearm Stained Solid Wood

MAX : 195yds (178m)

Shooting Dist.

BARREL : Smooth bore steel

SIGHTS : Blade & Ramp front
fixed open rear

SAFETY : Crossbolt trigger block

A Favorite Starter BB rifle in the USA & SA
Lightweight. Dependable. Easy-to-Use lever
action. Perfect for introducing shooters to the
fun of air-gunning. Features solid wood stock
and **TRUGLO** fibre optic sight

BB CAL.	WEIGHT	LENGTH	VELOCITY	CAPACITY
4.5mm (.177")	6.5 lbs : 2.9kg	29.8" (75.6cm)	350 fps	400 Shot




HIGH VELOCITY UNDER 350 FPS
10+ For Ages 10 and Older
With Adult Supervision

- Youth-sized BB air rifle designed for small shooters
- Compact 29.8-inch overall length
- Spring-powered lever-action operation
- Shoots .177 caliber BBs up to 350 FPS
- Blade front sight with fixed open rear sight
- Crossbolt trigger block safety


60RD0035-403 BLACK

60RD3035-403 CAMO

60RD7035-443 PINK


MAX : 280 yrds (256m)
Shooting Dist.

ACTION : Multi-pump pneumatic

POWERPLANT : Spring

SIGHTS : Blade & Ramp Front

BARREL : Smooth bore steel

Adjustable rear

SAFETY : Crossbolt Trigger Block

OPTICS : Iron Sight

CAPACITY : 50 Shot-BB | Single shot-Pellet

**DUAL
AMMO**
BB + PELLET

HIGH VELOCITY OVER 350 FPS
16+ For Ages 16 and Older
With Adult Supervision

HIGH POWERED AIRGUN
for ages 16 years or older.

PELLET & BB	WEIGHT	LENGTH	VELOCITY BB	PELLET
4.5mm (.177")	3.1 lbs : 1.4kg	34.5" (87.6cm)	625 fps *50 Shot	Single Shot

60RD0901-403

POWERLINE® 901



DUAL AMMO
BB + PELLET

- » Black advanced Composite Multi-Pump Air Rifle
- » Shoots either BB's or pellets with an adjustable rear sight

Safety : Cross bolt trigger block
Barrel : Rifled high-grade steel barrel
Action : Multi-pump pneumatic
Capacity : 50 shot BB, single shot pellet
Sight : Front and rear fibre optic
Stock/Forearm/Grip : Advanced composite

PELLET & BB	WEIGHT	LENGTH	VELOCITY BB	SHOOTING DIST.
4.5mm (.177")	3.7 lbs : 1.6kg	37.5" (95cm)	800 Fps	288yds (262m)

HIGH VELOCITY OVER 350 FPS
16+ For Ages 16 and Older
With Adult Supervision

60RD2880-903

Includes 4x15 Air Rifle Scope



DUAL AMMO
BB + PELLET



MAX Shooting Distance : 291yds (266m)
STOCK/Forearm Grip : Monte Carlo Style, Moulded Wood Grain
BARREL : Steel
ACTION : Multi-Pump Pneumatic

60RD0880-402

scope not incl.

PELLET & BB	WEIGHT	LENGTH	VELOCITY BB	BB CAPACITY.
4.5mm (.177")	3.7 lbs : 1.6kg	37.6" (95.5cm)	800 Fps	50 Shot BB Single Shot Pellet

SIGHT : Front fibre optic adjustable rear
SAFETY : Cross Bolt Trigger Lock

**NEW
ARRIVAL**
JANUARY
2024

Daisy Model 599 PCP Competition Air Rifle

AMMO
PELLET



The Daisy's Model 599 is a Competition Air Rifle for both **Beginners and **Advanced shooters**.** Increases accuracy and scores, compared to lesser airguns. Match-grades, Target Air Rifle is capable of velocities of up to 520 FPS with enough air capacity to last for an entire competition without needing a fill-up.

CODE	PELLET & VELOCITY 	BARREL LENGTH	ACTION	MAX SHOTS PER FILL	CYLINDER SIZE	OPERATING PRESSURE	WEIGHT	LENGTH
6ORD0599-101	4.5 (.177") 520fps	18.0"	BOLT	175	122cc	3364 PSI 232 Bar	7.1lbs	35.0"

Pre-charged pneumatic
Single shot
Straight-pull T-handle bolt action
Ambidextrous beechwood stock with 8 adjustments
Cold hammer-forged BSA barrel
Trigger adjusts for rotation
Adjustable trigger weight down to 1.5 lbs.
Front globe sight with removable aperture inserts
Diopter rear sight with micrometer windage and elevation adjustments
Adjustable cheekpiece
Adjustable length of pull
Adjustable rubber buttpad
Checkered grip and forearm
Integral manometer / Manual crossbolt safety / Quickfill probe

Front Sight : Globe w/Aperture Inserts
Rear Sight : Diopter/micrometer adjustable
Trigger : Two-stage adjustable
Fixed/adj. power : Fixed
Shrouded : No
Bow/Crossbow Type : N/A
Shot Capacity : 1





WINCHESTER
AIR RIFLES

**60RW0077-502
WINCHESTER 77XS**
» Includes 3*32 air rifle scope



Max Shooting Dist. : 256 meters
Action : Multi pump pneumatic
Barrel : Rifled steel
Sights : Blade & ramp front
Adjustable rear
Stock/Forearm : Rugged durable, black composite & forearm
Safety : Crossbolt trigger block

**DUAL
AMMO**
BB + PELLET

PELLET & BB	WEIGHT	LENGTH	VELOCITY BB	BB CAPACITY
4.5mm (.177")	3.1 lbs : 1.4kg	37.6" (95cm)	1000 Fps	50 Shot BB Single Shot Pellet

SNIPER SPRING Air Rifle

**AMMO
PELLET**

LB600



Blued Cylinder & Barrel

CODE	PELLET & VELOCITY	WEIGHT	LENGTH
60RSLB600	4.5 (.177") 490-600fps	2.9kg	1085mm
60RSLB6005.5	5.5 (.22") 390-500fps		

- » Protective break barrel handle
- » Adjustable rear sight for both windage and elevation
- » Protective front sight with manual locking safety with the cushion
- » Grooved cylinder for scope

- » Ergonomic design polymer stock
- » Rubber butt pad for recoil absorption
- » Checkering on grip and forearm for better control & feel
- » Rubber butt pad for recoil absorption

AIR Rifles

SNIPER

PELLET GUNS



AMMO
PELLET



Power source : Spring
Cocking system : Break Barrel
Shooting : Manual Single Shot

Optic Fibre Sight
» checkered grip
» Improved front sight



60RSB1/B2-4P BLACK



60RSB2-4C CAMO

- » Under lever, single cocking system & single shot
- » Metal Trigger Blade
- » Ergonomic design wood stock cheekpiece
- » Micro Adjustable rear-sight for both windage & elevation

- » Truglo Fibre Optic Sight with contrasting fibre colors
- » Hooded front sight with Truglo fibre optics
- » Rubber butt pad for recoil absorption
- ❖ Manual Safety ❖

Action Break Barrel. Single Cocking System & Single Shot / Barrel Precision Rifle Steel

HIGH VELOCITY OVER 350 FPS
16+ For Ages 16 and Older With Adult Supervision

CODE	PELLET & VELOCITY	WEIGHT	LENGTH
60RSB2-4P	4.5 (.177") Velocity: 650fps	2.8kg	1090mm
60RSB2-4P5.5	5.5 (.22") Velocity: 450fps		
60RSB2-4C	4.5 (.177") Velocity: 500/650fps	3.2kg	1100mm





CODE	PELLET & VELOCITY 	WEIGHT	LENGTH
60RSB3-3	4.5 (.177") Velocity: 650-500fps	3.2kg	1100mm



HIGH VELOCITY OVER 350 FPS
16+ For Ages 16 and Older
With Adult Supervision

- » Under Lever, Single cocking system & single shot
- » Metal Trigger Blade
- » Ergonomic Design wood stock cheekpiece
- » Manual safety
- » Micro adjustable rear-sight windage & elevation

- » Truglo fiber optic sights with contrasting fiber colors
- » Hooded front sight with Truglo fiber optics
- » Precision rifled steel barrel
- » Grooved Cylinder for scope
- » Rubber butt pad for recoil absorption



- » Micro adjustable rear-sight for both windage & elevation
- » Truglo fiber optic sights with contrasting fibre colors

B2-4

- » Hooded front sight with Truglo fibre optics
- » Precision Rifled Steel Barrel, Grooved cyclinder for scope
- » Rubber butt pad for recoil absorption

Power Source - Spring
Cocking System- Manual, Single Shot

CODE	PELLET & VELOCITY 	WEIGHT	LENGTH	MUZZLE LENGTH	MUZZLE / ENERGY
60RSB2-4	4.5 (.177") ≥ 650 Fps	2.8kg	1090mm	480mm	7.5 Joule
60RSB2-45.5	5.5 (.22") ≥ 500 Fps				

SNIPER BREAK Barrel Pellet Air Rifle

HIGH VELOCITY OVER 350 FPS
16+ For Ages 16 and Older
 With Adult Supervision

AMMO
 PELLET



RSB11-P ❖ 4.5 ❖ 5.5

60RSB11PWOOD5.5 ❖ 5.5 WOOD

- » Break barrel, single cocking system & single shot
- » Polimer Trigger Blade
- » Pushing open barrel design
- » Anti bear-trap cocking safety
- » Micro adjustable rear-sight for both windage & elevation.
- » Open front sight with Truglo fibre optics

- » Truglo fiber optic sights with contrasting fibre colors
- » Precision steel barrel rifle
- » Ergonomic design high quality hand-wood Montecario cheekpiece
- » Checkering on grip and forearm for better control & feel
- » Rubber rear pad for recoil absorption



CODE	PELLET & VELOCITY 	WEIGHT	LENGTH	BARREL	SAFETY
60RSB11P	4.5 (.177") Velocity: 1250fps	3.5kg	1140mm		
60RSB11P5.5	5.5 (.22") Velocity: 850fps				
60RSB11PWOOD5.5	5.5 (.22") 305 m/s : 23.2J	3.8kg	1200mm	480mm	Auto Double

R1250W



CODE	PELLET & VELOCITY		WEIGHT	LENGTH	BARREL	COCKING FORCE
60RAGR1250W	4.5 (.177") Over 1100 fps		3.8kg	1200mm	480mm	≤ 35 Lbs
60RAGR1250W5.5	5.5 (.22") Over 850 fps					



CHARACTERISTICS » Less Breaking Force » High Shooting Accuracy Speed
 » Auto-Safety & Bear Trap » High Usage rate and stability

Air Rifle R1600W




» RAIL: 21mm Dovetail
 » TRIGGER: Two-stage Adjustable

» RAIL: 21mm Dovetail
 » TRIGGER: Two-stage Adjustable



CODE	PELLET & VELOCITY		WEIGHT	LENGTH (L*W*H)	POWER SOURCE	SAFETY
60RAGR1600W	4.5 (.177") PSA Pellet: 1600fps Normal Pellet: 1300fps		4.2kg	1250x46x130mm	Gas Piston	AUTO.
60RAGR1600W5.5	5.5 (.22") 1050fps					

❖ 4.5 ❖ 5.5



PELLET & VELOCITY	WEIGHT	LENGTH
4.5 (.177") 900fps	3.6kg	1220mm
5.5 (.22") 750fps		
SAFETY	SAFETY FORCE	BREAKING FORCE
Manual	On/Off 1~5 lbf	4-20 lbf

- 60RASR1000S
- 60RASR1000S5.5
- 60RASR1000SC
- 60RASR1000SC5.5

- Black 4.5
- Black 5.5
- Mossy Oak 4.5
- Mossy Oak 5.5

BLACK
CAMO



ARTEMIS
AIRGUN AND ACCESSORIES

CHARACTERISTICS

- » High shooting accuracy & high velocity
- » Steady power and long lifetime
- » Less breaking force
- » Trigger Pull two-stage Adjustable
- » The Front Sight is integrated with the Suppressor

ARTEMIS BREAK BARREL GAS PISTON Rifle

GR1250WA



ARTEMIS

Incl. Scope



CODE	PELLET & VELOCITY 	WEIGHT	LENGTH	BARREL	COCKING FORCE
60RSGR1250WA	4.5 (.177") Over 1100 fps	3.8kg	1200mm	480mm	≥ 35 Lbf
60RSGR1250WA5.5	5.5 (.22") Over 850 fps 				

ARTEMIS AIR Rifle R600W



18+

THERE IS A RESTRICTION ON THIS RIFLE FOR AGES 18+ OR OLDER.

AMMO
PELLET 



CODE	PELLET & VELOCITY 	WEIGHT	LENGTH (L*W*H)
60RACR600W	4.5 (.177") ≥650 fps Mag. Holds 9 Pellets	1.43kg	950 x 55 x 200mm
60RACR600W5.5	5.5 (.22") ≥550 fps Mag. Holds 7 Pellets		

- » TRIGGER: Adjustable 0.5~4Lbf
- » SAFETY: Manual Safety 1~6Lbf

- » SUPPRESSOR: Silencing effect with front sight
- » STOCK: European Beech

ARTEMIS AIR Rifle **SR1250**



ARTEMIS

PACKAGING: EXCLUDES TELESCOPE

MOSSY OAK 60RASR1250SC ❖ 4.5
60RASR1250SC5.5 ❖ 5.5

BLACK 60RASR1250S ❖ 4.5
60RASR1250S5.5 ❖ 5.5



18+

THERE IS A RESTRICTION
ON THIS RIFLE
FOR AGES 18+ OR OLDER.

- » Precision Shooting
- » Gas Piston Powered
- » 12mm PICATINNY Rail

- » High shooting accuracy & velocity
- » High usage rate and good stability
- » Less cocking force
- » Auto-safety and bear trap
- » Its equipped with
- » Adjustment of checking piece can meet with different requirement.

PELLET & VELOCITY 	WEIGHT	LENGTH	POWER SOURCE	TRIGGER PULL
4.5 (.177") 1250 fps	Packaged Weight 5.4kg	1260mm	Ordinary Spring Gas Spring	4~8 Lbf
5.5 (.22") 900 fps				

Safety Force : On 1-6lbf/Off 1-6lbf
Safety : Auto & Double Safety
Cocking Force : ≤35lbf
Fire Mode : Manual & Single Shot

60RSGR1000X



Characteristics

- » 12x Auto-Indexing Rapid Magazine
- » Less Cocking Force
- » Integrated with Suppressor
- » Piston: Nitro Piston
- » Manual Safety, Adjustable trigger pull
- » 12.7mm Rail
- » Detachable Rail

CODE	CALIBER > FPS 	SAFETY	TRIGGER PULL	BARREL LENGTH L.W.H	WEIGHT	STOCK	PISTON
60RSGR1000X4.5	4.5 > 1100	Automatic	1-5Lbf	439mm 1225*42*212mm	3.65kg	Synthetic	Nitro
60RSGR1000X5.5	5.5 > 900						

60SRSSR1200S5.5 Cal. 5.5

SR1200S



Characteristics

- » Break Barrel & Rifle Barrel
- » Velocity 5.5 900fps
- » Fibre optic sights
- » Auto Safety with Bear Trap
- » Light Trigger Force
- » Piston Option: Gas Piston
- » Automatic Safety
- » Dovetail Rail
- » Fibre Optic Sights

CODE	CALIBER > FPS		SAFETY	TRIGGER PULL	L.W.H	WEIGHT	RAIL STAND	ACTION MODE	STOCK	LEVER
60RSSR1200S5.5	5.5 > 900		Automatic ON/OFF 1-6lbs	Not Adjustable 2-5Lbs	1150*190*47(mm)	3.0kg	Have, 12.7mm	Break Barrel	Synthetic	Break Neck

RSSU1200S

Cal. 5.5
Cal. 4.5 Spring Air



Specifications

- » Spring Air Rifle
- » Trigger: Not Adjustable, 2-5 Lbs
- » Action Mode: Under Barrel
- » Cocking: Manual ≤50Lbs
- » RAIL STAND: Have, 12.7mm
- » Hammer Tested

CODE	CALIBER > FPS	SAFETY	TYPE	L.W.H BARREL LENGTH	WEIGHT	STOCK	RAIL
60RSSU1200S	4.5 > X 1000	Automatic ON/OFF 1-6 Lbs	SPRING AIR RIFLE	1170*190*47(mm)	3.15kg	Synthetic	DOVETAIL
60RSSU1200S5.5	5.5 > 900						



MICRO CONVERSION KIT



ARTEMIS



KILLA



GR800S



60RSG800S Cal. 4.5

60RSG800S5.5 Cal. 5.5



Specifications

- » Spring Air Rifle
- » LESS BREAKING FORCE
- » Auto Safety with Bear Trap
- » Fibre Optic Sights

CODE	CALIBER > FPS	SAFETY	TRIGGER PULL	L.W.H BARREL LENGTH	WEIGHT	ACTION MODE	RAIL
60RSGR800S5.5	5.5 > 560	Manual	3-8.5 Lbs	1017 x 45 x 175mm	2.6Kg	Break Barrel	DoveTail rail
60RSGR800S	4.5 > 700						



ARTEMIS®
AIRGUN AND ACCESSORIES

GEN2



Benefits are:-
The Barrel is stationary, loading is faster, and the installation of optical sights without fear of breaking them with recoil.

Specifications

- » Regulated
- » Bolt-Action Cocking Lever
- » Two-Stage Adjustable
- » Detachable Suppressor

The plastic stock fits comfortably in the hands, the rubber heel provides a more comfortable support on the shoulder when shooting. It has an adjustable sight bar and front sight, but it is possible to install an optical (collimator) sight, an 11 mm dovetail mount is provided on the body for this. It is possible to fire one shot at a time, or remove the “shelf” of a single shot, which is fixed with a magnet and install a magazine for 9 charges. The maximum pressure that can be pumped into a tank with a built-in pressure gauge is 200 atm and thanks to the valve that acts as a regulator, the pressure remains constant independently

CODE	CALIBER > FPS	CAPACITY	REGULATOR	L.W.H BARREL LENGTH	WEIGHT	STOCK	SAFETY	MAX PRESSURE
60RASR900S	4.5 > 900FPS	200 CC MAGAZINE:	HAVE	950 * 55 * 200mm w/out supressor	2.27kg	Synthetic	MANUAL	20MPA
60RASR900S5.5	5.5 > 800FPS	7/9 Pcs						

Precharged Pneumatic Rifle **T-REX 5.5**



T-REX
RIFLE




Specifications

- » Multi-shot PCP Rifle
- » Magazine capacity 10 rounds (.22)
- » REGULATOR: HAVE
- » Adjustable Cheekpad
- » Picatinny Rail
- » Bolt Action
- » Air Capacity: 230CC
- » Ambidextrous Handle

CODE	CALIBER > FPS	MAGAZINE	L.W.H BARREL LENGTH	WEIGHT	MAX PRESSURE	REGULATOR
60RSTREX5.5	5.5 > X 950	10	1048 x 67 x 195mm	3.15kg	25Mpa	YES

PR900 ARTEMIS® Precharged Pneumatic Rifle

GEN-2 WITH REGULATOR Built in



- ★ Regulated ★ Bolt-action cocking lever
- ★ Two-stage adjustable trigger ★ Detachable Suppressor

❖ CONSTANT VALUE: YES ❖ MAXIMUM PRESSURE: 25MPa ❖ LIFETEST 5000times ❖ STOCK: BEECH WOOD / MANUAL SAFETY

CODE	CALIBER > VELOCITY 	CAPACITY	WEIGHT	LENGTH L*W*H	MAGAZINE
60RSPR900WGEN2	5.5 (.22) ≥ 800fps	200cc	2.27 kg	950 * 55 * 200mm	7 Shot
60RSPR900WG24.5	4.5 (.177) ≥ 900fps	200cc			9 Shot



RIFLES SECTION by Killer Brands



60RSMAT300

MAC300 ❖ 4.5mm (.177)

10m Target Match

Rifle PCP RIFLE



INCLUDES A RIFLE HARD CARRY CASE



Side lever mechanism includes front rear diopter sights which are of excellent quality

Entry level match pcpc ★ Single shot ★ Precision fully regulated ★ Adjustable match stock for perfect fit
★ Multi Match Trigger ★

CODE	PELLET & VELOCITY 	MAX PRESSURE	WEIGHT	LENGTH L*W*H	BARREL LENGTH	STOCK	MAGAZINE
60RSMAT300	4.5 (.177") <90mps	25MPa 250Bar	3.5kg	1080 * 170 * 45mm	545 mm	Laminate	7/9 PCS

❖ ATTACHMENTS 7mm Fill Adaptor Vunerable O' Rings with Owners Manual AIR CAPACITY 200cc ❖ SAFETY Manual safety ❖ TRIGGER PULL 0.1-2Lbf



Scope..... 11 mm dovetail
Stock..... Import Beech
Suppressor Split Suppressor



Characteristics

- » High Muzzle energy with dozens of effective shots
- » Integrated Suppressor makes excellent silencing effect
- » Defaulted & Two Stage Regulated parts
- » Smooth Cocking Bolt Handle, with Magazine fitted onto its Breech

Suppressor Type: Split Suppressor

- » Optional Filler in its Intake structure
Defaulted consistent exhauste valve with Filler.

CODE	PELLET & MAGAZINE	WEIGHT	LENGTH (L*W*H) BARREL (*L)	SAFETY ADJUSTABLE MANUAL	TRIGGER PULL	SCOPE	STOCK	MAX FILL PRESSURE
60RAM10	4.5 (.177") >900fps	3 kg	1170x48x60 Barrel (*L) 535mm	ON/OFF 1~6Lbf	Adjustable Trigger	11mm Dovetail	German Beech	25Mpa/250Bar with Consistent Valve Capability: 250cc
60RAM105.5	5.5 (.22") >900fps				0.5~5 Lbf			

❖ CONSTANT VALUE: YES ❖ LIFETEST 5000 Times ❖ Quick Fill Nozzle

Extras: vulnerable O-rings, Owners manual



PCP16A

THE ARTEMIS PCP M16A

Pre-Charged rifle with side lever cocking action, multi-shot magazine and a fully shrouded anodised barrel threaded and ready for a silencer. The M16A has a 400cc buddy bottle which provides a good number of shots at over 200 per fill. The oiled hardwood stock finishes beautifully.

CODE	PELLET & MAGAZINE	WEIGHT	LENGTH (L*W*H) MM	RAIL	MAX. PRESSURE
6ORAM16A	4.5 (.177") >900fps 13 Shots	3.1 kg	960x63x190	12mm DoveTail	250 MPa 250 Bar
6ORAM16A5.5	5.5 (.22") >800fps 11 Shots				

Regulator Yes / Safety
Force ON 1~6 lbf / OFF
1~6 lbf

REGULATED PCP RIFLE



★ LEVER ACTION
60RAM30A5.5



★ BOLT ACTION

60RAM30

M30 4.5 (.177")

60RAM305.5

M30 5.5 (.22")



Air Capacity : 300cc
Barrel : 610mm
Max. Pressure : 25MPa 250Bar
Regulator : Yes
Rail : 12mm Dovetail
Stock : German Beech
Safety : Manual
Regular : No

- ★ Air Tube and Barrel are Integrated Design
- ★ Integrated Design is Patented
- ★ Adjustable Regulator
- ★ Speed Adjustable
- ★ Comes with a magazine, filling probe, and a single shot adapter.



ARTEMIS



PCPM30



The Artemis™ M30 is a Regulated PCP rifle. One of the first PCP's made with the barrel in the air cylinder. This is why the Barrel of the Artemis™ M30 is larger compared to other PCP rifles.

PACKAGING: EXCLUDES TELESCOPE. VIEW OUR TELESCOPE RANGE.

CODE	PELLET & VELOCITY 	MAG SHOT	WEIGHT	LENGTH L*W*H	MAX. FILL PRESSURE	TRIGGER PULL	ACTION
60RAM30	4.5 (.177) < 1000 Fps	13 Shots	2.5kg	1120 * 180 * 50mm	25MPa	1~5 Lbf	Bolt
60RAM305.5	5.5 (.22) < 1000 Fps	11 Shots					
60RAM30A5.5	5.5 (.22) < 1000 Fps						

❖ CONSTANT VALUE: YES ❖ Adj. Manual Safety ON1-6Lbf/OFF 1-6Lbf ❖ LIFETEST 5000 times ❖ 7mm Fill Adaptor Vunerable O' Rings & Owners Manual

Bolt Action Rifle

PCP M22

ARTEMIS®
AIRGUN AND ACCESSORIES

Trigger : Two-stage adjustable, 1-6Lbf
 Safety : Adjustable manual safety
 ON 1~6Lbf / OFF 1~6Lbfh
 Consistent Valve: *Yes*
 Suppressor: *Yes / Regulating velocity*

CODE	CALIBER > FPS	WEIGHT	MAX PRESSURE	LENGTH L.W.H
60RAM22	4.5 > 900 fps 70 Shots full power Holds 13 Pellets	3.7kg	25 MPa 250 Bar	290 x 40 x 20mm
60RAM225.5	5.5 > 800 fps 50 Shots full power Holds 11 Pellets		AIR CAPACITY 250cc	REGULATED PARTS 790 * 40 * 40

Bolt Action Rifle

PCP RAM //

Trigger Pull : Adjustable Pull 0.5 ~ 5 Lbf
 Safety : Adjustable manual safety
 ON/OFF 1~6Lbfh
 Consistent Valve : *Yes*
 Suppressor : *Yes, regulating velocity*
 Trigger Pull : *Adjustable Pull 0.5~5 Lbf*
Extras: Quick fill nozzle, vulnerable O-rings, Owners manual

CODE	CALIBER > FPS	WEIGHT	MAX PRESSURE	LENGTH L.W.H
60RAM11	4.5 > 900 fps 13 Pellets	3kg	25 MPa 250 Bar	1170 x 48 x 60
60RAM115.5	5.5 > 900 fps 11 Pellets		AIR CAPACITY 250cc	BARREL LENGTH 535mm

Characteristics

- » High Muzzle Energy with dozens of effective shots
- » Integrated Suppressor makes excellent silencing effect
- » Defaulted regulated and Two-Stage regulated
- » Smooth Cocking bolt handle with magazine fitted onto its breech
- » Optional filler intake structure, defaulted consistent exhaust valve with filler

"With its Magazine & Regulator" The PCP10 "shoots a more stable velocity"



BULLPUP

PCP10

P12

- » Split Suppressor
- » Single & Multishot in one gun
- » Rail (11mm Dovetail)

Trigger Pull : Adjustable Trigger, 1~5Lbf
 Safety : Adjustable Manual Safety, ON 2~6Lbf/OFF 1~5Lbf
 Working Pressure : 20MPa 200Bar / 25MPa 250Bar with Regulator
 Air Capacity : 315CC / 280CC with Regulator
 Regulator : Optional on P10 / Defaulted on P10

The ARTEMIS P12 IS A COMPACT PCP BULLPUP POWERED BY AIR FROM THE CARTRIDGE.
 BEECHWOOD WINDBREAKER STOCK IS ERGONOMIC, WITH A HOLE AND PISTOL GRIP FOR BOTH RIGHT AND LEFT HANDERS.

CODE	PELLET / MAGAZINE	WEIGHT	LENGTH (L*W*H) BARREL (L)	AIRTUBE VOLUME	STOCK
60RAP10	4.5 (.177") 0.55g 1000fps. 70 Shots per fill Mag Capacity: "13 Shots"	3.2 kg	710x42x196mm Barrel (L) 462mm (18.18")	265cc	German Beech Wood
60RAP105.5	5.5 (.22") 1.0g 1000fps 50 Shots per fill Mag Capacity: "11 Shots"				
60RAP12	5.5 (.22") 1.0g 1000fps 50 shots per fill. Mag Capacity: "11 Shots"	3.1 kg	710x42x196mm Barrel (L) 460mm (18.1")		

Attachments « Fill Adaptor, Vulnerable O-rings, Owners Manual »

Pre-Charged Pneumatic Rifle

PCP P15 LEVER



ARTEMIS



- » Automatic Safety
- » Dovetail Rail

Maximum Pressure : 25MPa 250Bar
Rail : 12mm Dovetail



CODE	CALIBER > FPS		WEIGHT	LENGTH L.W.H BARREL LENGTH	AIR TUBE VOLUME	STOCK
60RAP155.5	5.5 > 1000 fps Mag Capacity: 9 Shots		2.0kg	675 x 40 x 200mm Barrel (L) 450mm	265cc	German Beech Wood

Characteristics

- » Under Barrel Air Rifle
- » Great-Gas Saving Capability with High-Usage Rate
- » Integrated suppressor with outstanding silencing effect
- » Simple structure, easy handling with good stability
- » Esquisite workmanship & excellent appearance
- » Built-In pressure gauge to monitor air reservoir pressure
- » Standard Quick-Filling Adaptor

60RSM50.5

PCP M50



Characteristics

Includes secured hard-case

- » Caliber 5.5 .22
- » Maximum Pressure 25MPa 250BAR
- » REGULATOR: YES
- » AIR CAPACITY: 260cc
- » Magazine Capacity: 10 Shots
- » 7mm Fill Adaptor, Vulnerable O-Rings
- » Semi-Auto Function
- » Two Adjustable Trigger
- » Consistent Valve: Have
- » Suppressor: Silencing effect with front sight

CODE	CALIBER > VELOCITY	SAFETY	MAX. PRESSURE	BARREL L.W.H	WEIGHT	RAIL	CAPACITY	MAGAZINE	STOCK
60RSM50.5	5.5 > 900Fps	Manual safety 1~6Lbf	25MPa	511mm 1080*172*48mm	3.5kg	Picatini	245cc, +/- 40 Shots per Charge	Holds 10 Pellets	PP



Includes Pellets

Characteristics

- » Adjustable Regulator
- » Upto 50 Shots per Fill
- » Two Stage Adjustable Trigger
- » 3.0 kgs
- » Removable air tank
- » Magazine Capacity: 20 Rounds (.22)
- » Air Capacity 205cc
- » Max fill pressure 250Bar (3600psi)
- » Barrel Length: 24"

60RSM605.5

HAMMER TEST
30Lbsx30s (Safety:On)



CODE	CALIBER > VELOCITY	TRIGGER	WORKING. PRESSURE	BARREL L.W.H	WEIGHT	SILENCING FUNCTION	RAIL STAND	MAGAZINE
60RSM605.5	5.5 > 1000Fps	Adjustable 1~6Lbf	25MPa	510mm 925*185*55mm	3.0kg	Have	Have, 21.2mm	Detachable 20 Shots



60RSM255.5



SPECIFICATIONS

CALIBER

5.5 mm

VELOCITY

1000FPS

CAPACITY

250CC

REGULATOR

YES

MAGAZINE

9 SHOT

MAX PRESSURE

25MPA

STOCK

SYNTHETIC STOCK


L*W*H(mm)

1230*185*66mm

WEIGHT

3.8/4.0KG

M25 Pre-Charge Pneumatic Rifle 5.5mm (0.22")



CHARACTERISTICS

- * Super Powerful
- * Manual Safety
- * Two-stage adjustable trigger
- * Large Capacity Air Tank
- * Picatinny rail
- * Bolt-action cocking lever

The Snowpeak M25 is a powerful, precision-engineered PCP air rifle designed for accuracy, reliability, and a superior shooting experience. Built on the proven M22 platform, the M25 features a longer, leaner frame that delivers the same robust performance in a lighter package. Key features include: Bolt-Action Cocking Lever – Smooth, rearward bolt operation, similar to many hunting rifles, for quick and consistent cycling. 245CC High-Capacity Air Tube – Fills up to 250 BAR (3626 PSI) for more shots per fill and extended shooting sessions. 10-Shot Self-Indexing Magazine – Fast, effortless reloading with reliable shot-to-shot performance. Solid Synthetic Thumbhole Stock – Durable polypropylene construction with ergonomic finger grooves for a secure, comfortable grip. Two-Stage Adjustable Trigger – Aluminum trigger blade with adjustable pull weight from 0.5 – 5 lb.f, complete with Snowpeak's signature safety button. Picatinny Rail – Ready for your favorite rifle scope or optic for enhanced accuracy. With its combination of power, accuracy, and user-friendly design, the Snowpeak M25 is a versatile choice for both hunting and target shooting.

SHOCKWAVE

QUIETFIRE · REDUCE NOISE BY UP TO 70%

BREAK BARREL AIR RIFLE
WITH NITRO PISTON TECHNOLOGY

4X32 SCOPE

ALL WEATHER SYNTHETIC STOCK

TWO STAGE ADJUSTABLE TRIGGER

REDUCED RECOIL

RIFLED STEEL BARREL

QUIET FIRE SOUND SUPPRESSION

INCLUDES 4X32 SCOPE

UP TO **1000FPS** **QUIETFIRE** NOISE REDUCTION BY 70%



AK-1 BB RIFLE

ADJUSTABLE AND
FOLDING 5-POSITION
AR COMPATIBLE STOCK



60RCCA1G
FULL AUTO
AIR POWER

A
SPECS
PG. 72



R1 BB RIFLE

ADJUSTABLE
6-POSITION



60RCCFAR1BG
FULL AUTO
AIR POWER

B
SPECS
PG. 72



SPECIFICATIONS



ADJUSTABLE FOLDING ARM



HIGH VELOCITY OVER 350 FPS
16+ For Ages 16 and Older
With Adult Supervision

¹ADJUSTABLE AND FOLDING 5 POSITIONS
AR COMPATIBLE STOCK. ²ADJUSTABLE
REAR SIGHT. ³QUAD RAIL FOREARM
⁴AK COMPATIBLE PISTOL GRIP.

60RCCA1G

A

AK-1

BB RIFLE

IMAGE ON
PG. 71

SERIOUS PLINKING ♦ MAXIMUM FUN ♦ RANGE ♦ ZOMBI-APOCALYPSE TRAINING

Mechanism	:	Full / Semi Auto
Power Source	:	12G CO2 CARTRIDGE
CALIBRE	:	BB Cal. 4.5mm
Ammunition	:	STEEL BBs
CAPACITY	:	28 BB
Barrell	:	Smooth Bore
FRONT SIGHT	:	FIXED
REAR SIGHT	:	Adjustable / Removable
Safety	:	Selector

UP TO
430

BLAZIN' FEET
PER SECOND

UP TO
130

METERS PER
SECOND

UP TO
1400

ROUNDS PER
MINUTE OF YEEE
HAAAAW

SPECIFICATIONS

HIGH VELOCITY OVER 350 FPS
16+ For Ages 16 and Older
With Adult Supervision

ADJUSTABLE 6 POSITIONS. AR COMPATIBLE
PISTOL GRIP. PICATINNY QUARD RAIL
DROP-DOWN MAGAZINE HOLDS TWO
POWERLET CO2 CARTRIDGES

60RCCFAR1BG

B

R-1

BB RIFLE

IMAGE ON
PG. 71

SERIOUS PLINKING ♦ MAXIMUM FUN ♦ RANGE ♦ ZOMBI-APOCALYPSE TRAINING

Mechanism	:	Full / Semi Auto
Power Source	:	12G CO2 CARTRIDGE
CALIBRE	:	BB Cal. 4.5mm
Ammunition	:	STEEL BBs
CAPACITY	:	25 BB
Barrell	:	Smooth Bore
SIGHTS	:	FLIP UP
Safety	:	SELECTOR

WELCOME TO AIR
POWER 1399 ROUNDS
PER MINUTE SIMPLY
WONT DO.



UP TO
1400

ROUNDS PER
MINUTE OF YEEE
HAAAAW

UP TO
430

BLAZIN' FEET
PER SECOND